

Improving Neural Network Learning Through Dual Variable Learning Rates

Elizabeth Liner
Department of Computer Science
The University of Texas at Austin
Austin, TX, USA
e.liner@utexas.edu

Risto Miikkulainen
Department of Computer Science
The University of Texas at Austin
Austin, TX, USA
risto@cs.utexas.edu

Abstract—This paper introduces and evaluates a novel training method for neural networks: Dual Variable Learning Rates (DVLR). Building on insights from behavioral psychology, the dual learning rates are used to emphasize correct and incorrect responses differently, thereby making the feedback to the network more specific. Further, the learning rates are varied as a function of the network’s performance, thereby making it more efficient. DVLR was implemented on three types of networks: feedforward, convolutional, and residual, and two domains: MNIST and CIFAR-10. The results suggest a consistently improved accuracy, demonstrating that DVLR is a promising, psychologically motivated technique for training neural network models.

I. INTRODUCTION

Behavioral psychology focuses on how humans and animals behave and how behavior drives learning and growth. By bringing such insights into machine learning, it may be possible to create methods that train an artificial neural network in a similar manner to how humans and animals are trained, potentially resulting in better performance of the neural network.

This paper proposes such a method: dual variable learning rates, or DVLR. Dual learning rates provide different emphasis for correct and incorrect responses and thus propagate more specific feedback to the network. The learning rates are updated with a variable rate of change based on the performance of the network so that feedback can be used most efficiently over time. This novel training technique was tested on the MNIST and CIFAR-10 databases with three different types of architectures: feedforward, convolutional, and residual. The results suggest a consistently improved accuracy in both tasks and all three networks, suggesting that it can serve as a general technique for improving neural network learning.

The paper begins by reviewing the behavioral psychology foundation for the DVLR method in the Background section as well as Related Work on variable learning rates. In the Method section, the specific differences between DVLR and backpropagation are discussed. The Baselines and Thresholds section presents the preliminary experiments in configuring DVLR, and the Results section analyzes how the method performed on the MNIST and CIFAR-10 databases. The Discussion section evaluates the significance of results given the computational complexity of deep learning experiments,

and the possibility of constraining the method with biological insights.

BACKGROUND

Behavioral Psychology determines how a subject learns by observing the subject’s behavior instead of attempting to explain the subject’s thought process. Learning is seen as an enduring change in the mechanisms of behavior as distinct stimuli are paired with responses that result from prior experience. Through experiments, behavioral psychologists can identify what the subject is capable of learning, and the best ways to facilitate or inhibit that learning. This focus on behavior is key to the DVLR method. Computer scientists do not fully understand why a neural network produces the responses it does, especially as networks become more complicated. It is thus difficult to determine what needs to change in the neural network to increase accuracy. Building on Behavioral Psychology, DVLR attempts to use a network’s behavior to create more efficient learning and increase the accuracy of the network.

The origins of this approach can be traced to psychologists Edward Thorndike and B.F. Skinner. Thorndike studied animal intelligence with the use of puzzle boxes and determined that every response of an animal is the result of an interaction with the environment [12]. He rejected randomness in animal actions, and determined that they must be able to form associations just as humans do. His Law of Effect states that the satisfaction or dissatisfaction that the animal receives from an action it performs determines directly if the animal will perform that action again. If the result of an action is favorable, the animal is more likely to perform it; if the result of an action is unfavorable, the animal is less likely to perform it. By providing both favorable and unfavorable feedback to an animal subject, it is possible to teach it to perform or not perform certain actions.

Skinner studied how subjects perform with reinforcement over time, and how various schedules affect the subject’s performance [11]. Through experimentation, Skinner defined four different types of schedules: fixed ratio, variable ratio, fixed interval, and variable interval. In the variable ratio (VR) schedule of reinforcement, a subject is reinforced after a variable number of responses. Skinner concluded that VR

schedules led to the subjects accurately performing tasks faster and for a longer continuous period of time than their counterparts on other schedules.

Similarly in neural networks, the goal is to create the most efficient and accurate networks to solve a specific problem. Building on Thorndike’s Law of Effect, separate feedback can be provided for correct and incorrect responses. Building on Skinner’s variable ratio schedule, the separate learning rates can be updated after a variable number of responses to change the amount of emphasis a correct or incorrect response has on training. The resulting technique, DVLR, implements these ideas as dual learning rates on variable schedules, as will be discussed in the Method section.

RELATED WORK

There is prior computational work in using different learning rates for the different parameters of a neural network. For example, Kim, Cho and Lee [4] assigned a distinct learning rate to each reference vector in their vector quantization model and updated the reference vectors with a competitive learning method. The networks performed faster and more accurately when using more than one learning rate for the network. The main difference from DVLR is that their method uses one learning rate for each reference vector, which increases the number of parameters significantly.

On the other hand, Smith [8] used a non-stationary learning rate that cycles between reasonable boundary values. He was able to achieve a significant increase in accuracy for the CIFAR-10 domain. DVLR takes this idea one step further by introducing insights from behavioral psychology to determine how the learning rates should change as a function of its performance.

There is also prior computational work on networks that are able to reorganize their structure based on performance. For example, Rubio [5] describes an online self-organizing fuzzy modified least-square (SOFMLS) network. The network generates and prunes rules throughout training to determine the best set of functions for a given problem. DVLR works similarly by updating its learning rates throughout training to generate more efficient feedback to the network.

METHOD

DVLR is an extension of the standard gradient descent update method in neural networks [7]. There are two key changes that will be discussed in detail: dual learning rates and learning rate updates.

Dual Learning Rates

In DVLR, two learning rates are used: η_C for correct responses, where the network successfully predicted the output, and η_I for incorrect responses, where the network unsuccessfully predicted the output. By splitting up the correct and incorrect responses, it is possible to provide different feedback to the network based on whether its responses were favorable or unfavorable. The hypothesis is that the network will receive

Algorithm 1 DVLR Methods

Dual learning rates:

```

 $B_C$  = correct responses in a batch
 $B_I$  = incorrect responses in a batch
if  $B_C \geq B_I$  then
     $\eta = \eta_C$ 
else if  $B_I > B_C$  then
     $\eta = \eta_I$ 
end if

```

Variable Threshold and Learning Rate Updates:

```

 $R$  = correct or incorrect responses
 $VT$  = correct or incorrect variable threshold
 $\beta_L$  = lower bound of threshold
 $\beta_U$  = upper bound of threshold
if  $R_C^N \geq VT_C^N$  then
     $\eta_C^{N+1} = \eta_C^N + const$ 
     $R_C^{N+1} = 0$ 
     $VT_C^{N+1} = getRandom(\beta_{CL}, \beta_{CU})$ 
end if
if  $R_I^N \geq VT_I^N$  then
     $\eta_I^{N+1} = \eta_I^N + const$ 
     $R_I^{N+1} = 0$ 
     $VT_I^{N+1} = getRandom(\beta_{IL}, \beta_{IU})$ 
end if

```

more specific feedback and in turn, will learn the ideal weight values more efficiently.

To make the dual learning rate implementation practical, batching was used, where batched responses are a mixture of correct and incorrect responses. Theoretically, the correct or incorrect learning rate would be determined for each response, but this approach is computationally expensive and does not provide a major advantage based on preliminary experiments. Instead, if the majority of responses in a batch are correct, η_C is used and if the majority of responses in a batch are incorrect, η_I is used. The dual learning rate method is further described in the first half of Algorithm 1.

Learning Rate Updates

In a network using backpropagation, the learning rate determines the amount of emphasis the error has on the network’s weight update. For DVLR, the amount of emphasis changes over time as the learning rate is updated. The hypothesis is that in this manner, the network might discover nuances in the data that were not previously apparent and thus, more accurate networks should result. In preliminary experiments, several types of changes in η_C and η_I were evaluated, such as changing the learning rate by different proportions and after different amounts of correct and incorrect responses had been observed. These experiments concluded that the best performance was observed with a variable threshold method. More specifically, a variable threshold was implemented by slightly varying how many correct and incorrect responses needed to be observed




Fig. 1. An example update schedule for the η_C learning rate over three updates (η_I is adjusted in a similar process). The red and grey lines are the boundaries of the threshold, and the blue line is the running count of correct responses from the network. The learning rate changes (i.e. decreases by 0.005 in this case) each time the number of correct responses since the last change reaches the threshold. The next threshold is chosen randomly within the range, thus implementing the idea of variable thresholds for correct and incorrect responses.

before the learning rate was updated with a constant rate of change. The variable threshold update and learning rate update methods are described in the second half of Algorithm 1.

In DVLR, once the number of correct or incorrect responses reaches the current threshold, the learning rate is updated. This method is similar to the variable ratio (VR) schedule in behavioral psychology with one difference: In VR, reinforcement is only given once the subject reaches the threshold, whereas in DVLR, feedback (in the form of gradient) is provided after every example. This difference is due to the inherent nature of neural networks: if gradients were not provided for every example, they would not have any influence on learning.

An example of a learning rate update is shown in Figure 1 for η_C ; an analogous method is used for η_I . A random number within a range (45-55 in this example) is chosen as the threshold. As the network works through examples from the dataset, the number of correct responses is counted. Then, once this number reaches the threshold, the learning rate is updated with the constant rate of change (0.005 in this example), the count is reset to zero, and a new threshold is randomly chosen within the range. This update method continues for the entire span of the experiment. In Figure 1, the learning rate was decreased, but the update direction and magnitude varied in the DVLR experiments, as described in the next section.

BASELINES AND THRESHOLDS

The section details the methodology used for determining the best DVLR thresholds. Eventually it may be possible to develop a theoretical approach; however currently the best way to discover them is empirically with a series of experiments. All experiments in this section included three trials to determine the average test accuracy, unless otherwise specified.

Two different baselines were utilized to evaluate the effectiveness of DVLR. The Static-Simple (S-S) Baseline uses the




Fig. 2. Example of the learning rates obtained during one trial of the CIFAR-10 CNN model experiments where $\eta_C^0 = 0.05$, $\eta_I^0 = 0.01$, VT175-225, 0.01% increase. For the CIFAR-10 CNN, DVLR performed the best when η_C was static, and when η_I increased at a nearly constant rate.




Fig. 3. Example of the learning rates obtained during one trial of the CIFAR-10 ResNet18 experiments where $\eta_C^0 = 0.05$, VT5975-6025, 0.01% decrease, and $\eta_I^0 = 0.01$, VT395-405, 0.01% increase. DVLR performed best when η_C increased, but its slope gradually decreased over time and when η_I decreased at a nearly constant rate, demonstrating the different setup needed for the best RNN experiment as compared to the best CNN experiment.

standard, simple learning rate, η_S , of normal gradient descent. The Static-Dual (S-D) Baseline has two static learning rates: the rate for correct responses, η_C , and the rate for incorrect responses, η_I . The ideal learning rate for the S-S baseline was determined empirically as shown in the first half of Table A.III in the Appendix. To discover the static-dual (S-D) baseline, two learning rates were tested around the ideal S-S rate at various distances, as shown in the second half of Table A.III.

The following notation is used to specify each experiment: The initial learning rate is specified as $\eta_C^0 = x$ and $\eta_I^0 = y$. The variable threshold is given as VT β_L - β_U , where β_L is the lower bound of the threshold and β_U is the upper bound. Finally, the constant rate of change (0.01% of the initial learning rate), and the direction of change (increasing or decreasing) are specified.

TABLE I

ACCURACY OF DVLR ON FFNN AND CNN IN THE MNIST DOMAIN. THE RESULTS SUGGEST THAT DUAL LEARNING RATES IMPROVE SLIGHTLY OVER SINGLE RATE, AND ADDING VARIABLE THRESHOLDS RESULTS IN FURTHER IMPROVEMENTS. THE DIFFERENCES ARE MORE PRONOUNCED WITH CNN, SUGGESTING THAT DVLR SCALES WELL TO MORE COMPLEX ARCHITECTURES.

Feedforward Neural Network:	Avg Train	Avg Test	p-value
Static-Single (S-S) Baseline, $\eta_S = 0.05$	99.726	98.127	
Static-Dual (S-D) Baseline, $\eta_C = 0.075$, $\eta_I = 0.025$	99.948	98.245	0.154
DVLR Experiments:			
$\eta_C = 0.075$, $\eta_I^0 = 0.025$ VT67-72 0.01% inc	99.952	98.316	0.154
$\eta_C^0 = 0.075$ VT4995-5005 0.01% inc, $\eta_I^0 = 0.025$ VT195-205 0.01% dec	99.952	98.311	0.154
$\eta_C^0 = 0.075$ VT9995-10005 0.01% inc, $\eta_I^0 = 0.025$ VT195-205 0.01% inc	99.966	98.291	0.141
Convolutional Neural Network:	Avg Train	Avg Test	p-value
Static-Single (S-S) Baseline, $\eta_S = 0.01$	95.000	98.320	
Static-Dual (S-D) Baseline, $\eta_C = 0.017$, $\eta_I = 0.003$	95.503	98.590	0.196
DVLR Experiments:			
$\eta_C^0 = 0.017$ VT 495-505 0.01% inc, $\eta_I^0 = 0.003$ VT 295-305 0.01% inc	95.738	98.777	0.034 *
$\eta_C^0 = 0.017$ VT 495-505 0.01% inc, $\eta_I^0 = 0.003$ VT 1995-2005 0.01% dec	95.732	98.744	0.032 *
$\eta_C^0 = 0.017$ VT 495-505 0.01% inc, $\eta_I = 0.003$	95.786	98.740	0.025 *

After determining the ideal learning rates for the S-D baseline, preliminary experiments were run where one of the learning rates was changing and the other remained static, as shown in Table A.IV. In this manner, it was possible to determine what a good variable threshold is for one of the learning rates, before complicating the process by changing both learning rates at once. To further simplify the process, the rate of change was always 0.01% of the original learning rate, and thus the different variable thresholds could be compared easily.

Next, the best thresholds from the preliminary one-static, one-variable experiments were combined to create the DVLR experiments, as shown in Table A.V and Table A.VI. All combinations were experimented with to determine which particular combination performed the best. Finally, as an optional step, the best thresholds from the DVLR experiments were tested with all increasing/decreasing possibilities, as shown in Table A.VII.

After all preliminary experiments were completed, the best baselines and the five experiments with the highest accuracy scores from both the one-static, one-variable tests and the DVLR tests were run over ten trials, as shown in Table A.VIII.

This process is the complete methodology used in this paper to determine the variable thresholds for the MNIST FFNN, MNIST CNN and CIFAR-10 CNN experiments. To save time, once it was discovered that the CIFAR-10 RNN had the same ideal S-S and S-D baselines as the CIFAR-10 CNN, the best DVLR thresholds from the CIFAR-10 CNN experiments were also used for CIFAR-10 RNN experiments.

These preliminary experiments were time consuming, but necessary. The conclusion was that MNIST FFNN and CIFAR-10 CNN perform better when η_C is static or changes much slower than η_I . However, the MNIST CNN did not follow this general rule. To further demonstrate how the different variable thresholds affect the learning rates over time, example learning rates from one trial of the best CIFAR-10 CNN are shown in Figure 2 and example learning rates from one trial of the best CIFAR-10 RNN are shown in Figure 3. There are similarities

between the two figures such as η_C starting at a greater value than η_I and η_I increasing throughout the trial. However, no general rule emerges that could be used to determine ideal variable thresholds for a given network, and therefore more research is needed to discover the best practices for DVLR.

RESULTS

The DVLR method was tested on two different databases: MNIST [10] and CIFAR-10 [1], and three different types of networks: a feedforward neural network (FFNN), a convolutional neural network (CNN [2]), and a residual neural network (RNN [9]). Experiments were run on networks that are best suited for each database to get the best possible baselines before experimenting with DVLR.

Setup

In the MNIST experiments, two architectures were tested. The first one was an FFNN with 500 hidden nodes, RELU activation function and batch size of 100. The second was a CNN with two convolutional layers, two fully connected linear layers, RELU activation function with dropout and a batch size of 128. In the CIFAR-10 experiment, two architectures were tested as well. The first one was a CNN with two convolutional layers, pooling layer, three fully connected linear layers, RELU activation function, and a batch size of 10. The second was a ResNet18 network that contains 16 convolutional layers, two pooling layers and utilizes a stride size of two, RELU activation function and batch size of 128. The MNIST FFNN, MNIST CNN and CIFAR-10 CNN experiments used the Adagrad optimizer while the CIFAR-10 RNN used the SGD optimizer. All networks were trained with cross-entropy loss.

The goal of the experiments was not necessarily to improve state-of-the-art, but to evaluate DVLR broadly. These architectures were thus chosen as fundamental versions of standard neural network architectures. Also, relatively small versions of them were used to reduce computing time. It was therefore possible to run ten trials for every experiment and determine

TABLE II

ACCURACY OF DVLR ON CNN AND RNN IN THE CIFAR-10 DOMAIN. THE RESULTS AGAIN SUGGEST THAT DUAL LEARNING RATES IMPROVE SLIGHTLY OVER SINGLE RATE, AND ADDING VARIABLE THRESHOLDS RESULTS IN FURTHER IMPROVEMENTS. THE DIFFERENCES ARE LESS PRONOUNCED ON RNN, PRESUMABLY BECAUSE THE RATIOS FROM CNN WERE USED FOR IT INSTEAD OF CUSTOMIZING THEM TO THE ARCHITECTURE. HOWEVER, ALTHOUGH THE DIFFERENCES ARE SMALL, THEY ARE REMARKABLY CONSISTENT ACROSS ALL COMPARISONS, SUGGESTING THAT DVLR IS A PROMISING TECHNIQUE FOR IMPROVING NEURAL NETWORK TRAINING.

Convolutional Neural Network:		Avg Train	Avg Test	p-value
Static-Single (S-S) Baseline, $\eta_S = 0.03$		66.326	61.139	
Static-Dual (S-D) Baseline, $\eta_C = 0.05, \eta_I = 0.01$		68.062	62.434	0.361
DVLR Experiments:				
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT175-225, 0.01% inc		70.292	63.285	0.126
$\eta_C^0 = 0.05$ VT6975-7025 0.01% inc, $\eta_I^0 = 0.01$ VT395-405 0.01% inc		69.706	63.214	0.171
$\eta_C^0 = 0.05$ VT5975-6025 0.01% dec, $\eta_I^0 = 0.01$ VT395-405 0.01% inc		69.552	63.158	0.163
Residual Neural Network:		Avg Train	Avg Test	p-value
Static-Single (S-S) Baseline, $\eta_S = 0.03$		91.416	72.727	
Static-Dual (S-D) Baseline, $\eta_C = 0.05, \eta_I = 0.01$		92.066	74.353	0.391
DVLR Experiments:				
$\eta_C^0 = 0.05$ VT5975-6025 0.01% dec, $\eta_I^0 = 0.01$ VT395-405 0.01% inc		96.085	74.957	0.334
$\eta_C^0 = 0.05$ VT6975-7025 0.01% inc, $\eta_I^0 = 0.01$ VT395-405 0.01% inc		90.319	74.637	0.402
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT195-205, 0.01% inc		92.173	74.387	0.371

statistical significance against the S-S baseline. All code and original data can be found at <https://github.com/e-liner/DVLR>.

MNIST FFNN Results

The average training values, testing values and t -test p -values of various DVLR experiments compared with the S-S baseline can be found in the first half of Table I. The differences were small, and p -values are in the 0.15 range, so the results are suggestive only. However, many different variable thresholds were discovered that suggest improved accuracy over the baselines. The best performance was achieved when η_C was either static or slightly increasing, and when η_I was increasing or decreasing at a much higher rate.

It is important to note that the S-D baseline and the top three DVLR experiments performed better than the S-S baseline. This result demonstrates that the dual learning rate method can potentially increase the accuracy of a simple feedforward network. Additionally, all three DVLR experiments performed better than both the S-S and S-D baselines, which demonstrates the potential value of the variable threshold update method.

MNIST CNN Results

The average training values, testing values and t -test p -values of various DVLR experiments compared with the S-S baseline can be found in the second half of Table I. The p -value for the S-D baseline is 0.196, however all DVLR experiments were found to be statistically significantly better than the baseline. One particularly powerful variable threshold was discovered for η_C that improved significantly over the baseline. The thresholds for η_I vary widely, and utilize variable thresholds that are static, slightly changing, and changing at a much higher rate.

These results suggest that the dual learning rate method provides an advantage compared to a standard single learning rate, but that both the dual learning rate method and variable threshold update method had to be utilized to obtain a

significant increase. The improvements of the MNIST CNN results are more pronounced than the MNIST FFNN results, suggesting that DVLR should scale up well to more complex architectures.

The average training values, testing values, and t -test p -values of various DVLR experiments compared with the S-S baseline can be found in the first half of Table II. The S-D baseline was not found to be significantly different from S-S, however the top three DVLR experiments were close to significant in the $p = 0.12$ to 0.17 range. Many different variable thresholds were found that resulted in potentially improved accuracy from the baselines. The η_C performed best when it was either static or slightly changing, and η_I performed best when it was increasing at a much higher rate, similar to the MNIST FFNN results.

In CIFAR-10, the CNN accuracy increases more than in MNIST, suggesting that the method scales well to larger datasets. DVLR also improves upon the S-D baseline, suggesting that the dual learning rate method is stronger when used with the variable threshold update method.

CIFAR-10 RNN Results

The average training values, testing values, and t -test p -values of various DVLR versions compared with the S-S baseline can be found in the second half of Table II. With this architecture, neither the S-D baseline, nor the DVLR experiments were found to be significantly different from S-S. This result may be due to the lack of empirical testing to determine the best variable thresholds for this particular network. More specifically, in the interest of time, once it was discovered that the CIFAR-10 RNN had the same ideal S-S and S-D baselines as the CIFAR-10 CNN, the best variable ratios from the CIFAR-10 CNN experiments were also used on the CIFAR-10 RNN. Using the the full methodology to obtain new variable ratios may be necessary to obtain significantly better results.

DISCUSSION AND FUTURE WORK

Statistical difference is rarely estimated with modern deep learning architectures due to the excessive computational cost: Training of a full-scale model on a large dataset can have a carbon footprint of several cars [6]. The approach taken in this paper was to scale down the models and the datasets to the level where such repetitions could be done, in order to evaluate the DVLR technique more comprehensively. Although the improvements are small and not always statistically significant, they are remarkably consistent: across all four comparisons, S-D is always better than S-S, and across all twelve comparisons, DVLR is always better than S-D. The experiments thus provide substantial evidence that the DVLR technique is effective. Because the comparisons span multiple architectures and multiple domains, they suggest that DVLR can be used widely with neural networks that use gradient descent as their update method. Also, as the networks and domains increase in size and complexity, DVLR is likely to have a more pronounced effect. It may therefore constitute a robust and general technique for the modern machine learning toolbox.

A significant aspect of DVLR is its Behavioral Psychology motivation, and there are intriguing connections to neuroscience as well. In the brain, amygdala and ventral striatum work together to facilitate reinforcement learning [3]. Amygdala has a faster learning rate than the ventral striatum; having multiple neural systems learn at different rates may thus facilitate more effective learning in dynamic environments. It may be possible to analyze the biological data on learning rates in more depth, and refine the variable learning rate methods of DVLR further.

The experiments in this paper suggest that DVLR may be used to improve performance of a broad range of architectures. In further research this conclusion can be extended in several ways. First, instead of using the variable thresholds from the CIFAR-10 CNN in CIFAR-10 RNN, it could be worthwhile to discover the ideal variable thresholds for the RNN version directly, and thus determine how much performance can be improved with such a customization. Second, DVLR could be applied to more complex architectures to determine whether it can improve the state-of-the-art. Third, the discovery of ideal variable thresholds could be automated by creating a script that encapsulates the proposed methodology, thus defining best practices. Fourth, these practices could possibly be formalized in a theoretical approach that can determine ideal variable thresholds for a given base network.

CONCLUSION

DVLR is a new training technique for neural networks that is motivated by behavioral psychology. DVLR is a combination of two contributions. First, it takes advantage of dual learning rates, η_C and η_I , that correspond to the network's correct and incorrect responses. Second, it demonstrates that their impact is increased with variable threshold update schedules. DVLR was tested on feedforward networks and convolutional networks with the MNIST dataset and on convolutional

networks and residual networks with the CIFAR-10 dataset. The experiments suggest a consistent improved accuracy on all three network types over both domains. Moreover, it was found to be more powerful in larger architectures and datasets, making it a promising technique for the general machine learning toolbox.

REFERENCES

- [1] A. Krizhevsky. Learning Multiple Layers of Features from Tiny Images. University of Toronto, 2012.
- [2] A. Paszke, S. Gross, F. Massa, A. Lerer, J. Bradbury, G. Chanan and S. Chintala, "PyTorch: An Imperative Style, High-Performance Deep Learning Library," In Advances in Neural Information Processing Systems 32, 2019, pp. 8024–8035. Curran Associates, Inc.
- [3] B. Averbeck, "Amygdala and ventral striatum population codes implement multiple learning rates for reinforcement learning", 2017 IEEE Symposium Series on Computational Intelligence (SSCI), Honolulu, HI, 2017, pp. 1-5, doi: 10.1109/SSCI.2017.8285354.
- [4] C. Kim, S. Cho, and C. Lee, "Fast competitive learning with classified learning rates for vector quantization", Signal Processing: Image Communication, Volume 6, Issue 6, 1995, pp. 499-505, ISSN 0923-5965.
- [5] J. de Jesus Rubio, "SOFMLS: Online Self-Organizing Fuzzy Modified Least-Squares Network," in IEEE Transactions on Fuzzy Systems, vol. 17, no. 6, pp. 1296-1309, Dec. 2009, doi: 10.1109/TFUZZ.2009.2029569.
- [6] E. Strubell, A. Ganesh, and A. McCallum. "Energy and Policy Considerations for Deep Learning in NLP". 2019, 3645-3650. 10.18653/v1/P19-1355.
- [7] H. J. Kelley, "Gradient theory of optimal flight paths", Ars Journal, 30(10), 1960, pp. 947–954.
- [8] L. N. Smith, "Cyclical Learning Rates for Training Neural Networks," 2017 IEEE Winter Conference on Applications of Computer Vision (WACV), Santa Rosa, CA, 2017, pp. 464-472, doi: 10.1109/WACV.2017.58.
- [9] K. He, X. Zhang, S. Ren and J. Sun, "Deep Residual Learning for Image Recognition," 2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR), Las Vegas, NV, 2016, pp. 770-778, doi: 10.1109/CVPR.2016.90.
- [10] Y. LeCun and C. Cortes. MNIST handwritten digit database. 2010.
- [11] C. Sherrick, C. Ferster and B. Skinner, Schedules of reinforcement. Appleton-Century-Crofts, 1957. <https://doi.org/10.1037/10627-000>
- [12] E. Thorndike, Animal Intelligence: Experimental Studies, 1911.

APPENDIX

The tables below give details on preliminary experiments for configuring the learning rates and threshold ranges for the CIFAR-10 CNN experiments. The MNIST FFNN and MNIST CNN experiments were also determined in this manner.

TABLE III
CIFAR-10 CNN BASELINE

Static-Single (S-S) Baselines:	Test Avg.
$\eta_S = 0.0001$	27.800
$\eta_S = 0.0005$	36.873
$\eta_S = 0.001$	42.820
$\eta_S = 0.005$	52.967
$\eta_S = 0.01$	59.493
$\eta_S = 0.02$	60.617
$\eta_S = 0.03$	62.207
$\eta_S = 0.04$	61.907
$\eta_S = 0.05$	59.947
$\eta_S = 0.06$	58.950

Static-Dual (S-D) Baselines:	Test Avg.
$\eta_C = 0.035, \eta_I = 0.025$	61.897
$\eta_C = 0.04, \eta_I = 0.02$	61.270
$\eta_C = 0.05, \eta_I = 0.01$	63.560
$\eta_C = 0.025, \eta_I = 0.035$	61.030
$\eta_C = 0.02, \eta_I = 0.04$	60.527
$\eta_C = 0.01, \eta_I = 0.05$	56.047
$\eta_C = 0.05, \eta_I = 0.03$	60.667
$\eta_C = 0.03, \eta_I = 0.01$	62.330
$\eta_C = 0.05, \eta_I = 0.02$	61.010
$\eta_C = 0.04, \eta_I = 0.03$	61.630

TABLE IV
CIFAR-10 CNN ONE STATIC, ONE VARIABLE TESTS

Method:	Test Avg.
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT95-105, 0.01% inc	60.243
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT195-205, 0.01% inc	63.377
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT150-250, 0.01% inc	62.567
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT175-225, 0.01% inc	64.120
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT295-305, 0.01% inc	62.287
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT495-505, 0.01% inc	62.837
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT995-1005, 0.01% inc	63.097
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT1150-1350, 0.01% inc	62.503
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT95-105, 0.01% dec	61.853
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT195-205, 0.01% dec	61.023
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT295-305, 0.01% dec	63.247
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT495-505, 0.01% dec	62.257
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT2475-2525, 0.01% dec	63.170
$\eta_C^0 = 0.05$ VT95-105 0.01% dec, $\eta_I = 0.01$	53.063
$\eta_C^0 = 0.05$ VT195-205 0.01% dec, $\eta_I = 0.01$	53.343
$\eta_C^0 = 0.05$ VT295-305 0.01% dec, $\eta_I = 0.01$	54.357
$\eta_C^0 = 0.05$ VT495-505 0.01% dec, $\eta_I = 0.01$	54.480
$\eta_C^0 = 0.05$ VT1475-2525 0.01% dec, $\eta_I = 0.01$	60.777
$\eta_C^0 = 0.05$ VT3975-4075 0.01% dec, $\eta_I = 0.01$	63.270
$\eta_C^0 = 0.05$ VT5975-6025 0.01% dec, $\eta_I = 0.01$	63.157
$\eta_C^0 = 0.05$ VT6975-7025 0.01% dec, $\eta_I = 0.01$	62.907
$\eta_C^0 = 0.05$ VT95-105 0.01% inc, $\eta_I = 0.01$	49.017
$\eta_C^0 = 0.05$ VT195-205 0.01% inc, $\eta_I = 0.01$	55.717
$\eta_C^0 = 0.05$ VT295-305 0.01% inc, $\eta_I = 0.01$	58.117
$\eta_C^0 = 0.05$ VT495-505 0.01% inc, $\eta_I = 0.01$	60.107

TABLE V
CIFAR-10 CNN BEST FROM ONE STATIC, ONE VARIABLE TESTS

Best η_I changes:	Test Avg.
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT175-225, 0.01% inc	64.120
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT195-205, 0.01% inc	63.377
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT295-305, 0.01% dec	63.247
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT2475-2525, 0.01% dec	63.170
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT995-1005, 0.01% inc	63.097
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT495-505, 0.01% inc	62.837
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT150-250, 0.01% inc	62.567
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT1150-1350, 0.01% inc	62.503

Best η_C changes:	Test Avg.
$\eta_C^0 = 0.05$ VT3975-4075 0.01% dec, $\eta_I = 0.01$	63.270
$\eta_C^0 = 0.05$ VT5975-6025 0.01% dec, $\eta_I = 0.01$	63.157
$\eta_C^0 = 0.05$ VT6975-7025 0.01% dec, $\eta_I = 0.01$	62.907

TABLE VI
CIFAR-10 CNN DVLR TESTS

Method:	Test Avg.
$\eta_C^0 = 0.05$ VT3975-4075 dec, $\eta_I^0 = 0.01$ VT175-225 inc	60.597
$\eta_C^0 = 0.05$ VT3975-4075 dec, $\eta_I^0 = 0.01$ VT195-205 inc	61.703
$\eta_C^0 = 0.05$ VT3975-4075 dec, $\eta_I^0 = 0.01$ VT295-305 dec	62.650
$\eta_C^0 = 0.05$ VT3975-4075 dec, $\eta_I^0 = 0.01$ VT395-405 inc	62.653
$\eta_C^0 = 0.05$ VT5975-6025 dec, $\eta_I^0 = 0.01$ VT175-225 inc	62.790
$\eta_C^0 = 0.05$ VT5975-6025 dec, $\eta_I^0 = 0.01$ VT195-205 inc	63.157
$\eta_C^0 = 0.05$ VT5975-6025 dec, $\eta_I^0 = 0.01$ VT295-305 dec	61.850
$\eta_C^0 = 0.05$ VT5975-6025 dec, $\eta_I^0 = 0.01$ VT395-405 inc	63.943
$\eta_C^0 = 0.05$ VT6975-7025 dec, $\eta_I^0 = 0.01$ VT175-225 inc	62.087
$\eta_C^0 = 0.05$ VT6975-7025 dec, $\eta_I^0 = 0.01$ VT195-205 inc	63.237
$\eta_C^0 = 0.05$ VT6975-7025 dec, $\eta_I^0 = 0.01$ VT295-305 dec	61.283
$\eta_C^0 = 0.05$ VT6975-7025 dec, $\eta_I^0 = 0.01$ VT395-405 inc	63.187

TABLE VII
CIFAR-10 CNN DVLR TESTS, ALL DIRECTIONS

Method:	Test Avg.
$\eta_C^0 = 0.05$ VT5975-6025 dec, $\eta_I^0 = 0.01$ VT395-405 inc	63.158
$\eta_C^0 = 0.05$ VT5975-6025 dec, $\eta_I^0 = 0.01$ VT395-405 dec	61.724
$\eta_C^0 = 0.05$ VT5975-6025 inc, $\eta_I^0 = 0.01$ VT395-405 inc	62.324
$\eta_C^0 = 0.05$ VT5975-6025 inc, $\eta_I^0 = 0.01$ VT395-405 dec	62.517
$\eta_C^0 = 0.05$ VT6975-7025 dec, $\eta_I^0 = 0.01$ VT395-405 inc	63.092
$\eta_C^0 = 0.05$ VT6975-7025 dec, $\eta_I^0 = 0.01$ VT395-405 dec	62.402
$\eta_C^0 = 0.05$ VT6975-7025 inc, $\eta_I^0 = 0.01$ VT395-405 inc	63.214
$\eta_C^0 = 0.05$ VT6975-7025 inc, $\eta_I^0 = 0.01$ VT395-405 dec	62.053

TABLE VIII
CIFAR-10 CNN BASELINES AND EXPERIMENTS, 10-SET TRIALS

Method	Test Avg.
Static-Singular S-S Baseline $\eta_S = 0.03$	61.139
Static-Dual (S-D) Baseline $\eta_C = 0.05, \eta_I = 0.01$	62.434
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT175-225 inc	63.285
$\eta_C^0 = 0.05$ VT6975-7025 inc, $\eta_I^0 = 0.01$ VT395-405 inc	63.214
$\eta_C^0 = 0.05$ VT5975-6025 dec, $\eta_I^0 = 0.01$ VT395-405 inc	63.158
$\eta_C = 0.05, \eta_I^0 = 0.01$ VT195-205, inc	63.151
$\eta_C^0 = 0.05$ VT6975-7025 dec, $\eta_I^0 = 0.01$ VT395-405 inc	63.092