Some Terminology

Foundations of Computer Security Lecture 38: Cryptography II

> Dr. Bill Young Department of Computer Sciences University of Texas at Austin

Encryption and decryption are functions which transform one text into another. In functional notation:

C = E(P) and P = D(C)

where C denotes ciphertext, E is the encryption rule, D is the decryption rule, P is the plaintext. In this case, we also have:

$$P = D(E(P))$$

It is obviously important to be able to recover the original message from the ciphertext.

Lecture 38: 1	Cryptography II	Lecture 38: 2	Cryptography II
Keyed Algorithms		Some Notation	

Often the encryption and decryption algorithms use a key K. The key selects a specific algorithm from the family of algorithms defined by E.

We write this dependence as:

 $C = E(P, K_E)$ and $P = D(C, K_D)$

If $K_E = K_D$, then the algorithm is called *symmetric*. If not, then it is called *asymmetric*. In general,

$$P = D(E(P, K_E), K_D)$$

An algorithm that does not use a key is called a keyless cipher.

Often the notation E(P, K) and D(C, K) becomes cumbersome. An alternative notation is often used, particularly in cryptographic protocols.

We'll often use $\{P\}_{K}$ to denote E(P, K), and sometimes to denote D(P, K). For example,

$$P = D(E(P, K_E), K_D) = \{\{P\}_{K_E}\}_{K_D}.$$

This is usually appropriate since, in many important commercial cryptosystems, the same algorithm is used for both encryption and decryption (i.e., the algorithm is its own inverse).

Cryptanalysis Tools

A cryptanalyst may attempt to do any or all of the following:

- to break a single message;
- to recognize patterns in encrypted messages;
- to infer some meaning without breaking the algorithm;
- to deduce the key;
- to find weaknesses in the implementation or environment or the use of encryption;

Lecture 38: 5 Cryptography II

• to find weaknesses in the algorithm, without necessarily having intercepted any messages.

The analyst works with:

- encrypted messages,
- known encryption algorithms,
- intercepted plaintext,
- data items known or suspected to be in a ciphertext message,
- mathematical and statistical tools and techniques,

Lecture 38: 6

- properties of languages,
- computers,
- ingenuity and luck.

Lessons

- Encryption is designed to obscure the meaning of text.
- Redundancy is the enemy of secure encryption because it provides leverage to the attacker.

Next lecture: Properties of Ciphers