

Lecture 4

Interaction / Graphical Devices




Graphical Input


- Devices can be described either by
 - Physical properties
 - Mouse
 - Keyboard
 - Trackball
 - Logical Properties
 - What is returned to program via API
 - A position
 - An object identifier
- Modes
 - How and when input is obtained
 - Request or event




Physical Devices




mouse




trackball




light pen



data tablet



joy stick



space ball



Incremental/Relative Devices

- Devices such as the data tablet return a position directly to the operating system
- Devices such as the mouse, trackball, and joy stick return incremental inputs (or velocities) to the operating system
 - Must integrate these inputs to obtain an absolute position
 - Rotation of cylinders in mouse
 - Roll of trackball
 - Difficult to obtain absolute position
 - Can get variable sensitivity



Logical Devices

- Consider the C and C++ code
 - C++: `cin >> x;`
 - C: `scanf ("%d", &x);`
- What is the input device?
 - Can't tell from the code
 - Could be keyboard, file, output from another program
- The code provides *logical input*
 - A number (an `int`) is returned to the program regardless of the physical device




Input Modes

- Input devices contain a *trigger* which can be used to send a signal to the operating system
 - Button on mouse
 - Pressing or releasing a key
- When triggered, input devices return information (their *measure*) to the system
 - Mouse returns position information
 - Keyboard returns ASCII code




Request Mode

- Input provided to program only when user triggers the device
- Typical of keyboard input
 - Can erase (backspace), edit, correct until enter (return) key (the trigger) is depressed



Event Mode

- Most systems have more than one input device, each of which can be triggered at an arbitrary time by a user
- Each trigger generates an *event* whose measure is put in an *event queue* which can be examined by the user program



Event Types

- Window: resize, expose, iconify
- Mouse: click one or more buttons
- Motion: move mouse
- Keyboard: press or release a key
- Idle: nonevent
 - Define what should be done if no other event is in queue



Callbacks

- Programming interface for event-driven input
- Define a *callback function* for each type of event the graphics system recognizes
- This user-supplied function is executed when the event occurs
- GLUT example:
glutMouseFunc (mymouse)



GLUT Callbacks

GLUT recognizes a subset of the events recognized by any particular window system (Windows, X, Macintosh)

- glutDisplayFunc
- glutMouseFunc
- glutReshapeFunc
- glutKeyboardFunc
- glutIdleFunc
- glutMotionFunc,
glutPassiveMotionFunc



GLUT Event Loop

- Recall that the last line in `main.c` for a program using GLUT must be

`glutMainLoop();`

which puts the program in an infinite event loop

- In each pass through the event loop, GLUT
 - looks at the events in the queue
 - for each event in the queue, GLUT executes the appropriate callback function if one is defined
 - if no callback is defined for the event, the event is ignored



Display Callback

- The display callback is executed whenever GLUT determines that the window should be refreshed, for example
 - When the window is first opened
 - When the window is reshaped
 - When a window is exposed
 - When the user program decides it wants to change the display
- In **main.c**
 - **glutDisplayFunc(mydisplay)** identifies the function to be executed
 - Every GLUT program must have a display callback



Posting Re-displays

- Many events may invoke the display callback function
 - Can lead to multiple executions of the display callback on a single pass through the event loop
- We can avoid this problem by instead using `glutPostRedisplay()` ;
which sets a flag.
- GLUT checks to see if the flag is set at the end of the event loop
- If set then the display callback function is executed



Animating a Display

- When we redraw the display through the display callback, we usually start by clearing the window
 - `glClear()`

then draw the altered display

- Problem: the drawing of information in the frame buffer is decoupled from the display of its contents
 - Graphics systems use dual ported memory
- Hence we can see partially drawn display
 - See the program `single_double.c` for an example with a rotating cube



Double Buffering

- Instead of one color buffer, we use two
 - **Front Buffer**: one that is displayed but not written to
 - **Back Buffer**: one that is written to but not displayed
- Program then requests a double buffer in main.c
 - `glutInitDisplayMode(GL_RGB | GL_DOUBLE)`
 - At the end of the display callback buffers are swapped

```
void mydisplay()  
{  
    glClear(GL_COLOR_BUFFER_BIT|...)  
    .  
    /* draw graphics here */  
    .  
    glutSwapBuffers()  
}
```



Using the Idle Callback

- The idle callback is executed whenever there are no events in the event queue

- `glutIdleFunc(myidle)`

- Useful for animations

```
void myidle() {  
    /* change something */  
    t += dt  
    glutPostRedisplay();  
}
```

```
Void mydisplay() {  
    glClear();  
    /* draw something that depends on t */  
    glutSwapBuffers();  
}
```



Using Globals

- The form of all GLUT callbacks is fixed
 - `void mydisplay()`
 - `void mymouse(GLint button, GLint state, GLint x, GLint y)`
- Must use globals to pass information to callbacks

```
float t; /*global */  
  
void mydisplay()  
{  
/* draw something that depends on t  
}
```



Mouse Callback

`glutMouseFunc (mymouse)`

`void mymouse (GLint button, GLint
state, GLint x, GLint y)`


- Returns

- which button (`GLUT_LEFT_BUTTON`,
`GLUT_MIDDLE_BUTTON`,
`GLUT_RIGHT_BUTTON`) caused event
- state of that button (`GLUT_UP`, `GLUT_DOWN`)
- Position in window



Positioning

- The position in the screen window is usually measured in pixels with the origin at the top-left corner
 - Consequence of refresh done from top to bottom
- OpenGL uses a world coordinate system with origin at the bottom left
 - Must invert y coordinate returned by callback by height of window
 - $y = h - y;$



Obtaining Window Size

- To invert the y position we need the window height
 - Height can change during program execution
 - Track with a global variable
 - New height returned to reshape callback that we will look at in detail soon
 - Can also use query functions
 - `glGetIntv`
 - `glGetFloatv`

to obtain any value that is part of the state



Terminating a Program

- In our original programs, there was no way to terminate them through OpenGL
- We can use the simple mouse callback

```
void mouse(int btn, int state, int x, int y)
{
    if(btn==GLUT_RIGHT_BUTTON && state==GLUT_DOWN)
        exit(0);
}
```



Using Mouse Position

- In the next example, we draw a small square at the location of the mouse each time the left mouse button is clicked
- This example does not use the display callback but one is required by GLUT; We can use the empty display callback function

```
mydisplay() { }
```



Drawing squares at cursor location

```
void mymouse(int btn, int state, int x, int y)
{
    if(btn==GLUT_RIGHT_BUTTON && state==GLUT_DOWN)
        exit(0);
    if(btn==GLUT_LEFT_BUTTON && state==GLUT_DOWN)
        drawSquare(x, y);
}

void drawSquare(int x, int y)
{
    y=w-y; /* invert y position */
    glColor3ub( (char) rand()%256, (char) rand()%256,
                (char) rand()%256); /* a random color */
    glBegin(GL_POLYGON);
        glVertex2f(x+size, y+size);
        glVertex2f(x-size, y+size);
        glVertex2f(x-size, y-size);
        glVertex2f(x+size, y-size);
    glEnd();
}
```



Using Motion Callback

- We can draw squares (or anything else) continuously as long as a mouse button is depressed by using the motion callback
–`glutMotionFunc(drawSquare)`
- We can draw squares without depressing a button using the passive motion callback
–`glutPassiveMotionFunc(drawSquare)`



Using the Keyboard

```
glutKeyboardFunc(mykey)
void mykey(unsigned char key,
            int x, int y)
```

- Returns ASCII code of key depressed and mouse location

```
void mykey()
{
    if(key == 'Q' | key == 'q')
        exit(0);
}
```



Special and Modifier Keys

- GLUT defines the special keys in `glut.h`
 - Function key 1: `GLUT_KEY_F1`
 - Up arrow key: `GLUT_KEY_UP`
 - `if (key == 'GLUT_KEY_F1'`
- Can also check of one of the modifiers
 - `GLUT_ACTIVE_SHIFT`
 - `GLUT_ACTIVE_CTRL`
 - `GLUT_ACTIVE_ALT`is depressed by
`glutGetModifiers()`
 - Allows emulation of three-button mouse with one- or two-button mice




Reshaping the Window

- We can reshape and resize the OpenGL display window by pulling the corner of the window
- What happens to the display?
 - Must redraw from application
 - Two possibilities
 - Display part of world
 - Display whole world but force to fit in new window
 - Can alter aspect ratio



Reshape Possibilities



Reshape Callback

`glutReshapeFunc (myreshape)`

`void myreshape(int w, int h)`

- Returns width and height of new window (in pixels)
- A redisplay is posted automatically at end of execution of the callback
- GLUT has a default reshape callback but you probably want to define your own
- The reshape callback is good place to put viewing functions because it is invoked when the window is first opened



Example Reshape

- This reshape preserves shapes by making the viewport and world window have the same aspect ratio

```
void myReshape(int w, int h)
{
    glViewport(0, 0, w, h);
    glMatrixMode(GL_PROJECTION); /* switch matrix mode */
    glLoadIdentity();
    if (w <= h)
        gluOrtho2D(-2.0, 2.0, -2.0 * (GLfloat) h / (GLfloat) w,
                    2.0 * (GLfloat) h / (GLfloat) w);
    else gluOrtho2D(-2.0 * (GLfloat) w / (GLfloat) h, 2.0 *
                    (GLfloat) w / (GLfloat) h, -2.0, 2.0);
    glMatrixMode(GL_MODELVIEW); /* return to modelview mode */
}
```



Toolkits & Widgets

- Most window systems provide a toolkit or library of functions for building user interfaces that use special types of windows called *widgets*
- Widget sets include tools such as
 - Menus
 - Slidebars
 - Dials
 - Input boxes
- But toolkits tend to be platform dependent
- GLUT provides a few widgets including menus



Menus in GLUT


- GLUT supports pop-up menus
 - A menu can have submenus
- Three steps
 - Define entries for the menu
 - Define action for each menu item
 - Action carried out if entry selected
 - Attach menu to a mouse button



A simple menu example

- In `main.c`

```
menu_id = glutCreateMenu(mymenu);  
glutAddmenuEntry("clear Screen", 1);  
  
gluAddMenuEntry("exit", 2);  
  
glutAttachMenu(GLUT_RIGHT_BUTTON);
```



entries that appear when
right button depressed

identifiers



Menu Actions

- Menu callback

```
void mymenu(int id)
{
    if(id == 1) glClear();
    if(id == 2) exit(0);
}
```

- Note each menu has an id that is returned when it is created
- Add submenus by

```
glutAddSubMenu(char *submenu_name, submenu id)
```



Additional GLUT functions

- Dynamic Windows
 - Create and destroy during execution
- Subwindows
- Multiple Windows
- Changing callbacks during execution
- Timers
- Portable fonts
 - `glutBitmapCharacter`
 - `glutStrokeCharacter`



More Sophisticated Interactivity

- Interactive CG programs using
 - Picking
 - Select objects from the display
 - Three methods
 - Rubberbanding
 - Interactive drawing of lines and rectangles
 - Display Lists
 - Retained mode graphics



Picking

- Identify a user-defined object on the display
- In principle, it should be simple because the mouse gives the position and we should be able to determine to which object(s) a position corresponds
- Practical difficulties
 - Pipeline architecture is feed forward, hard to go from screen back to world
 - Complicated by screen being 2D, world is 3D
 - How close do we have to come to object to say we selected it?



Three Approaches

- Hit list
 - Most general approach but most difficult to implement
- Use back or some other buffer to store object ids as the objects are rendered
- Rectangular maps
 - Easy to implement for many applications
 - See paint program in text (chap 3, pg 150 -)



Rendering Modes

- OpenGL can render in one of three modes selected by `glRenderMode(mode)`
 - `GL_RENDER`: normal rendering to the frame buffer (default)
 - `GL_FEEDBACK`: provides list of primitives rendered but no output to the frame buffer
 - `GL_SELECTION`: Each primitive in the view volume generates a *hit record* that is placed in a *name stack* which can be examined later



Selection Mode Functions

- `glSelectBuffer()`: specifies name buffer
 - `glInitNames()`: initializes name buffer
 - `glPushName(id)`: push id on name buffer
 - `glPopName()`: pop top of name buffer
 - `glLoadName(id)`: replace top name on buffer
-
- id is set by application program to identify objects



Using Selection Mode

- Initialize name buffer
- Enter selection mode (using mouse)
- Render scene with user-defined identifiers
- Reenter normal render mode
 - This operation returns number of hits
- Examine contents of name buffer (hit records)
 - Hit records include id and depth information



Selection Mode & Picking

- As we just described it, selection mode won't work for picking because every primitive in the view volume will generate a hit
- Change the viewing parameters so that only those primitives near the cursor are in the altered view volume


- Use `gluPickMatrix` (See Text, Pg 785)

Creates a projection matrix for picking that restricts rendering to a $w \times h$ are centered at (x,y) in window coords within the viewport vp



Using Regions of the Screen

- Many applications use a simple rectangular arrangement of the screen
 - Example: paint/CAD program



- Easier to look at mouse position and determine which area of screen it is in than using selection mode picking




Using another buffer and color for picking

- For a small number of objects, we can assign a unique color (often in color index mode) to each object
- We then render the scene to a color buffer other than the front buffer so the results of the rendering are not visible
- We then get the mouse position and use `glReadPixels()` to read the color in the buffer we just wrote at the position of the mouse
- The returned color gives the id of the object



Writing Modes



XOR Write

- Usual (default) mode: source replaces destination ($d' = s$)
 - Cannot write temporary lines this way because we cannot recover what was “under” the line in a fast simple way
- Exclusive OR mode (XOR) ($d' = d \oplus s$)
 - $(y \oplus x) \oplus x = y$ (applying XOR twice returns original)
 - Hence, if we use XOR mode to write a line, we can draw it a second time and line is erased!




Rubberbanding


- Switch to XOR write mode
- Draw object
 - For line can use first mouse click to fix one endpoint and then use motion callback to continuously update the second endpoint
 - Each time mouse is moved, redraw line which erases it and then draw line from fixed first position to to new second position
 - At end, switch back to normal drawing mode and draw line
 - Works for other objects: rectangles, circles




Rubberband Lines




initial display




draw line with mouse
in XOR mode



mouse moved to
new position



original line redrawn
with XOR



new line drawn
with XOR



XOR in OpenGL

- There are 16 possible logical operations between two bits
- All are supported by OpenGL
 - Must first enable logical operations
 - `glEnable(GL_COLOR_LOGIC_OP)`
 - Choose logical operation
 - `glLogicOp(GL_XOR)`
 - `glLogicOp(GL_COPY)` (default)



Immediate & Retained Modes

- Recall that in a standard OpenGL program, once an object is rendered there is no memory of it and to redisplay it, we must re-execute the code for it
 - Known as *immediate mode graphics*
 - Can be especially slow if the objects are complex and must be sent over a network
- Alternative is define objects and keep them in some form that can be redisplayed easily
 - *Retained mode graphics*
 - Accomplished in OpenGL via *display lists*



Display Lists

- Conceptually similar to a graphics file
 - Must define (name, create)
 - Add contents
 - Close
- In client-server environment, display list is placed on server
 - Can be redisplayed without sending primitives over network each time



Display List Functions

- Creating a display list

```
GLuint id;
```

```
void init()  
{  
    id = glGenLists( 1 );  
    glNewList( id, GL_COMPILE );  
    /* other OpenGL routines */  
    glEndList();  
}
```

- Call a created list

```
void display()  
{  
    glCallList( id );  
}
```



Display Lists and State

- Most OpenGL functions can be put in display lists
- State changes made inside a display list persist after the display list is executed
- Can avoid unexpected results by using `glPushAttrib` and `glPushMatrix` upon entering a display list and `glPopAttrib` and `glPopMatrix` before exiting



Hierarchy & Display Lists

- Consider model of a car
 - Create display list for chassis
 - Create display list for wheel

```
glNewList( CAR, GL_COMPILE );  
    glCallList( CHASSIS );  
    glTranslatef( ... );  
    glCallList( WHEEL );  
    glTranslatef( ... );  
    glCallList( WHEEL );  
    ...  
glEndList();
```

