

Automata, Computability and Complexity: Theory and Applications

Elaine Rich

Index

$\alpha\beta$ pruning.....823
 $\Psi(L)$**235**, 240
 Λ_0615
 ω -automaton.....**88**, 154
 $\neg H$**338**, 342, 345, 365, 367, 371
 $\neg H_\epsilon$**367**, 380
 φ_k 448
 ε -loop.....**59**, 65, 145
 $\leq_M 350$**566**, 597
 \equiv_n**566**, 597
 $\leq_P 500$**566**, 597
 μ -recursive function.....**442**, 453
 ε -rule.....173
15-puzzle**35**, 569, 576
2-CNF *See* 2-conjunctive normal form
2-conjunctive normal form 523, 537
2FSMs-INTERSECT 553
2-SAT**523**, 537, 560
2-SAT-MAX 537
3-CNF *See* 3-conjunctive normal form
3-conjunctive normal form 498, **636**
3-conjunctiveBoolean 636
3-SAT**498**, 510, 511, 523, 636
 $3x+1$ problem**331**, 452
4-color problem 526
 A **355**, 371
 A_ϵ **356**, 371
 A^* algorithm**570**, 576, 578, 708, 794, 826
 A_{ALL} **356**, 371
 A_{anbn} 371
 A_{ANY} **356**, 371
Aaronson, Scott 577
abacus 836
absorption laws 582, **605**
accepting
 by a deterministic TM 288
 by a DFSM**47**, 537
 by a nondeterministic TM 299
 by a PDA**194**, 212, 667
 by an NDFSM 54
access control matrix 752
Ackermann, Wilhelm 318, 440, 453

Ackermann's function**440**, 453
active tape 280
ACT-V 809
Ada 701
adder 839
adjacency matrix 461, 592
Adleman, Leonard 452, 757
admissibility
 of a heuristic function 573, 826
 of a search algorithm 574
age of universe 441, 457, 838
agent
 intelligent 737, 794, 804, 808, 825
agreement in natural languages 268, 417, **784**
Aho, Alfred 154, 276
AI *See* artificial intelligence
AL 820
Alexander, Christopher 99
ALGOL 58 697
ALGOL 60 163, 697
Algol 68 701
algorithm**31**, 317, 619
algorithms
 3-conjunctiveBoolean 636
 A 570***175**
 atmostoneEps**74**
 buildFSMcanonicalform**208**
 buildgrammar**112**
 buildkeywordFSM**232**
 buildunambiggrammar**203**
 cfgtoPDAbottomup**242**
 cfgtoPDAnoeps**202**
 cfgtoPDAtopdown**261**
 CKY**608**
 computetransitiveclosure**636**
 conjunctiveBoolean**486**
 convertPDAtodetnormalform**670**
 convertpdatorestricted**205**
 converttoChomsky**182**
 converttoclauseform**647**
 converttoGreibach**663**
 converttononterminal**410**

<i>createOBDDfromtree</i>	642
<i>decideCFL</i>	242
<i>decideCFLempty</i>	244
<i>decideCFLinfinite</i>	244
<i>decideCFLusingGrammar</i>	241
<i>decideCFLusingPDA</i>	243
<i>decideFSM</i>	146
<i>decideregex</i>	146
<i>dfsmsimulate</i>	64
<i>disjunctiveBoolean</i>	637
<i>Earleyparse</i>	272
<i>emptyFSM</i>	147
<i>emptyFSMcanonicalgraph</i>	146
<i>emptyFSMgraph</i>	146
<i>emptyFSMsimulate</i>	147
<i>eps</i>	58
<i>equalFSMs</i>	149
<i>Eulerian</i>	488
<i>finiteFSM</i>	149
<i>finiteFSMgraph</i>	148
<i>finiteFSMsimulate</i>	148
<i>first</i>	276
<i>follow</i>	276
<i>forward</i>	86
<i>fsmtoregex</i>	111
<i>fsmtoregexheuristic</i>	106
<i>game-search</i>	822
<i>game-search-α-β</i>	824
<i>grammartofsm</i>	122
<i>infiniteFSM</i>	149
<i>intersectPDAandFSM</i>	224
<i>Kruskal</i>	489
<i>minDFSM</i>	72
<i>minimalFSM</i>	149
<i>minimax</i>	820
<i>minimax with α-β pruning</i>	823
<i>MSTdecide</i>	490
<i>ndfsmconvertandsimulate</i>	64
<i>ndfsmssimulate</i>	59
<i>ndfsmtdfsm</i>	60, 657
<i>obtainSelf</i>	447
<i>PDAtoCFG</i>	209
<i>proveFOL</i>	382
<i>QBFdecide</i>	549
<i>quicksort</i>	562, 578
<i>regextofsm</i>	104
<i>removeEps</i>	173
<i>removeLong</i>	184
<i>removeMixed</i>	184
<i>removeUnits</i>	182
<i>removeunproductive</i>	165
<i>removeunreachable</i>	166
<i>resolve-Boolean</i>	639
<i>resolve-FOL</i>	653
<i>simcomputer</i>	302
<i>simple-rewrite</i>	157
<i>totalFSM</i>	147
<i>unify-for-resolution</i>	651
<i>Viterbi</i>	84
<i>without\$</i>	228
alignment of protein sequences	766
allele	81, 763
almost satisfiability	538
alphabet	9
alpha-beta pruning	823
<i>alt</i> 240	
Alternating Bit protocol	63, 97, 730
alternating Turing machine	819
ALU	839
Amazons	819
ambiguity	
in context-free grammars	170 , 257, 258, 384, 390, 700
in English	172, 179, 700, 786
in programming languages	172, 177, 701
in regular grammars	171
inherent	172 , 384
techniques for reducing	173
ambiguous attachment	177 , 179, 788
A^nB^n	16 , 24, 133, 231, 235, 342, 407, 560
$A^nB^nC^n$	25 , 28, 215, 219, 288, 323, 342, 394, 403, 406, 417, 425, 459, 464, 484
and elimination	583
and introduction	583
Anderson, John R.	809
Antikythera Mechanism	xii, 833
antisymmetry	594
AP	820
APL	4
Appel, Kenneth	526, 578
approximation algorithm	458, 561, 820
APSPACE	820
Archimedes	570
argmax	.85, 189
ARPAbet	791
ARQ protocol	729
artificial intelligence	6, 650, 708, 793 , 825
associativity	605
astronomical calculator	834
astronomical clock	835
asymptotic dominance	466 , 623, 685
<i>atmostoneEps</i>	175 , 245
ATN	<i>See</i> augmented transition network
atoms in universe	153, 441, 820
attachment ambiguity	177 , 179, 788
attribute grammar	416 , 426, 453
augmented transition network	815
Austin Villa	841
AutoCAD	704
automatic programming	41, 709
automatic reasoning	793
automaton	833

average case performance	464
Baader, Franz	745
Bach chorales	814, 815
backgammon	818
Backus Naur form	16, 163, 697 , 806
Backus, John	697
backward chaining	346, 797 , 808
Baker, Robert	812
Bal24, 135 , 155, 161, 170, 175, 178, 191, 195, 213, 240, 555	
balanced delimiters	190, 555
balanced parentheses language	<i>See</i> Bal
Bandke, Volker	xii
bar code	76 , 96
Bar-Hillel, Yehoshua	154, 276, 452
Baroni, Mario	814
Baum, Leonard E.	154
Baum-Welch algorithm	84
Bel, Bernard	814
belief	
reasoning about	795, 804
Bengal farmers	457, 577
Bentley, Jon	780
Berners-Lee, Tim	27, 738
best-first search	570, 708, 815
bidirectional finite state transducer	77 , 774
Big Bang	441, 457, 465, 838
big- \mathcal{O}	466 , 624, 685
bigram model	780
bigram tagger	776
bijection	604
binary adder	22, 839
binary decision tree	641
binary function	602
binary multiplier	839
binary relation	591
binary search	760
BIN-PACKING	510, 539
bipartite graph	526 , 681
bisection of a graph	539
Bishop, Matt	753
BNF	<i>See</i> Backus Naur form
Boolean expression grammar	191, 844
Boolean logic	581 , 635
decidability	381
normal forms	635
resolution	537, 638
satisfiability	36, 314, 381, 459, 497, 504, 581 , 638, 641
bottom-up parser	202, 259 , 419
bounded simulation	147
BOUNDED-PCP	378, 511, 537
boustrophedon	386
BPP	564
Brachman, Ronald	745, 795
branching factor of a grammar	169 , 180, 216, 233, 244, 671
breadth-first search	301, 479 , 573, 675, 679
Bryant, Randal	642
Büchi automaton	88 , 154, 717, 728
Büchi, J.	154
buildFSMcanonicalform	74, 146, 149
buildgrammar	208
buildkeywordFSM	112 , 154, 473, 768
buildunambiggrammar	232
business rules engine	806, 809
busy beaver function	292, 433 , 441, 453
C 12, 177	
C++	177, 363
Cage, John	811
Camilleri, Lelio	814
canonical form	74 , 180
for Boolean expressions	74, 643
for FSMs	74 , 146
Cantor, David	452
cardinality	
of a language	13
of a set	587
of the context-free languages	215
of the regular languages	127
of the SD languages	336
Carmichael number	567
Cartesian product	590
causal universe	153 , 335, 441, 820
ceiling	32
cellular automaton	319, 324 , 419
certificate	493
CFG	<i>See</i> context-free grammar
CFG _{ALL}	385 , 387
cfgtoPDAbottomup	202 , 203, 245
cfgtoPDAnoeps	242 , 246
cfgtoPDAtopdown	201, 202 , 242, 245, 388
CFL	<i>See</i> context-free language
Champandard, Alex	825
Chandra, Ashok	820
characteristic function	11, 291, 433, 587
chart parser	<i>See</i> parser, chart
chatbot	793, 831
checkers	575, 818
chemical structure matching	510
chess	7, 503, 534, 575, 815 , 818
Chinese room argument	793
Chomsky hierarchy	154, 275, 393, 416 , 452
Chomsky normal form	180 , 182, 191, 222, 240, 241, 248, 260, 275, 410, 661
Chomsky, Noam	12, 154, 275, 416, 452, 814
chop	39 , 140, 239
CHORAL	815
Christofides, Nicos	577
chromatic XE "graph:chromatic number" number	536
chromatic number	501, 526

CHROMATIC-NUMBER	501, 526 , 536
chromosome	763
Church, Alonzo	318, 319, 320, 452, 704
Church's thesis	<i>See</i> Church-Turing thesis
Church-Turing thesis	317, 318 , 329, 397
circuit	
Eulerian	487, 499, 523, 536, 736
Hamiltonian	494, 510, 515, 523
CKY algorithm	<i>See</i> Cocke-Kasami-Younger algorithm
Clarke, Edmund	154, 713
clause	
definite	799
Horn	798
in Boolean logic	498, 635
in first order logic	645
clause form	585, 646
Cline, Alan	xii
CLIQUE	494, 497 , 499, 501, 510, 537
clique detection	494, 497 , 501, 510, 537
clock	
mechanical	835
Clocksin, William F.	801
closed world assumption	744, 803
closure	
mathematical definition	40, 607 , 625
programming language definition	707
closure properties	
infinite languages	42
closure properties of	
Büchi automata	92, 718
context-free languages	199, 221 , 226, 237, 239, 276
context-sensitive languages	410, 426, 453, 558
decidable languages	337, 342
deterministic context-free languages	228, 240, 666
finite languages	40, 42
infinite languages	40
PSPACE	559
regular languages	52, 129 , 139, 142
semidecidable languages	337, 343
space complexity classes	558, 559
the class BPP	564
the class L	557
the class NP	528, 537
the class P	483, 537
CNF	<i>See</i> conjunctive normal form
2-CNF	<i>See</i> 2-conjunctive normal form
3-CNF	<i>See</i> 3-conjunctive normal form
Cobol	187
Cocke, J.	260, 276
Cocke-Kasami-Younger algorithm	241, 247, 260, 276, 477, 485, 786
codomain of a function	601
co-dspace	558
coffee can problem	621
co-finite language	540
cognitive modeling	806, 808 , 827
cognitive psychology	806, 808 , 827
Cohn, Martin	153
co-L	557
Colbourn, Charles	817
coloring	<i>See</i> map coloring
colorless green ideas	12, 788
Common Music	704
commutativity	605
compiler construction	5, 172, 247, 275, 364, 372, 697
complement	
closure under	52, 129, 222, 228, 337, 413, 483, 528, 557, 558, 564
of a language	14, 330, 366
of sets	606
complement of sets	589
complementary literals	639, 652
complementdetPDA	246
complete graph	526
completeness	
logical	585
of a set of inference rules	582
with respect to a world	586
completeness of a set of	
inference rules	585
Completeness Theorem	318, 382, 451, 585 , 586
complexity	
logarithmic space	555
multitape Turing machines	298
nondeterministic Turing machines	298, 301
polynomial space	544
polynomial time	483
randomized Turing machines	563
space	463, 541
sublinear space	554
time	463, 483, 623
Complexity Zoo	459, 577
COMPOSITES	299, 491 , 523, 566
composition of functions	602
composition of relations	592
compositional semantics	16, 99, 419
compression algorithm	691
computable function	291, 319, 400, 430, 437, 441
computation	
of a Turing machine	284
of an FSM	47
of an LBA	406
of an PDA	194
computation history	385, 414
computational biology	6, 750, 761
Computer Cantata	812
computer game	7, 570, 808, 824
computer network	727
computetransitiveclosure	608
concatenation	

closure under	129, 221, 342, 411
of languages	14
of strings	9
concept subsumption	599
concurrent systems	74, 89, 713
<i>co-ndspace</i>	558
configuration	
of a PDA	193
of a Turing machine	283
of an FSM	47
conflict resolution	808
conjunctive normal form	
for Boolean logic	498, 635 , 638
for first-order logic	645 , 796
<i>conjunctiveBoolean</i>	636
co-NL	557
CONNECTED	21 , 460, 484, 485, 541
connected graph	21 , 484, 485
co-NP	528, 566
consistency	586
construction proof	<i>See</i> proof by construction
context-free grammar	160, 813
ambiguity	170, 390
correctness proof	166
designing	164
for English	<i>See</i> English grammar
for programming languages	697
for URIs	739
island	723
island	186
LL(1)	257
LR(1)	267
normal form	180
simplifying	165
stochastic	188, 771, 788, 789
context-free language	24, 155, 161 , 485, 699, 781
deterministic	201, 227 , 231, 258, 666
inherently ambiguous	172, 231, 384
LL(1)	258
LR(<i>k</i>)	267
undecidable properties	384
context-free parsing	169, 201, 230, 247 , 477, 480, 485
context-free Pumping Theorem	<i>See</i> Pumping Theorem, context-free
context-sensitive grammar	393, 407, 814
context-sensitive language	405 , 452, 554, 558
contradiction	
in Boolean logic	583
in first-order logic	586
contradiction proof	<i>See</i> proof by contradiction
<i>convertPDAtothenormalform</i>	670
<i>convertpdatorestricted</i>	205 , 246, 668
<i>converttoChomsky</i>	182, 245
<i>converttoclauseform</i>	647
<i>converttoGreibach</i>	663 , 666
<i>converttononterminal</i>	410
Conway, John	319, 324, 452
Cook, Stephen	504, 577
Cook-Levin Theorem	504, 505 , 577, 796
Cope, David	815
Coppersmith, Don	276, 577
Coppersmith-Winograd algorithm	263, 482, 577
<i>copyandreverse</i>	142 , 239
Corasick, Margaret	154
Corman, Thomas	577
co-RP	565
correctness proof	
of a grammar	166, 394
of a program	20, 89, 364, 381, 619, 710, 711
countable set	616
countably infinite set	616
counterexample proof	610
counterpoint	815
<i>countL</i>	449
<i>createOBDDfromtree</i>	642
Cross, Ian	813
cross-serial dependency	220 , 224, 783
crossword puzzle construction	817
cryptography	20, 491, 495, 563, 566, 569, 712, 756
cumulative acknowledgement protocol	733
currying	449
cut in a graph	539
CYK algorithm	<i>See</i> Cocke-Kasami-Younger algorithm
D (the decidable languages)	288 , 329, 335
DOL-system	423
da Vinci, Leonardo	811
dance	847
dangling else problem	177, 191, 701, 788
Dantzig, George	527, 577
das Botenproblem	577
database	723
database query language	16, 844
Davis, Martin	452, 796
de Morgan's laws	582 , 607, 636, 637, 647
dead code elimination	364, 702
dead state	48 , 122
decidability	26, 31, 288, 329, 335, 345
decidability of	
Boolean logic	381
context-free languages	242
first-order logic	382
regular languages	145
decidable language	26, 288 , 329, 370, 437
decidable problem	31 , 345, 370, 753
<i>decideCFL</i>	242 , 246
<i>decideCFLempty</i>	244 , 246
<i>decideCFLinfinite</i>	244 , 246
<i>decideCFLusingGrammar</i>	241 , 246, 247, 485
<i>decideCFLusingPDA</i>	243 , 246, 247, 250, 485
<i>decideFSM</i>	146 , 148
<i>decideregex</i>	146

<i>decideSATdeterministically</i>	542
deciding	
by a deterministic TM	288
by a nondeterministic TM	299
decision problem	19, 31
decision procedure	31, 329
decision procedures for	
Büchi automata	92, 718
context-free languages	241, 384, 485
context-sensitive languages	406, 413
regular languages	145, 384, 485, 553
decision tree	641
decoding problem in HMMs	83, 790
Dedekind, Richard	453
deductive verification	712
Deep Blue	815
deep structure	814
default reasoning	795
definite clause	799
degree of a vertex	487
deobfuscation	84
depth-first search	250, 301, 479
derivation	
left-most	170
right-most	170
with context-free grammars	161
with context-sensitive grammars	407
with regular grammars	121
with rewrite systems	157
with semi-Thue systems	402
with unrestricted grammars	393
description logic	745, 795
deterministic context-free language	<i>See</i> context-free language: deterministic
deterministic finite state machine	46
deterministic normal form for PDAs	232, 666
deterministic pushdown automaton	197
DFSM	<i>See</i> deterministic finite state machine
DFSM-ACCEPT	537
DFSM-ALL	537
diagonalization	332, 439, 532, 617
dialects of natural languages	268
difference of sets	589
Dijkstra, Edsger	680
Dijkstra's algorithm	524
Diophantine problem	375, 527
diploid organism	81, 763
DIRECTED-HAMILTONIAN-CIRCUIT	515
disjunctive normal form	637, 724
<i>disjunctiveBoolean</i>	637
distance	
Euclidean	826
Manhattan	826
distinguishability of strings	66
distributivity	605
divide-and-conquer	130, 346, 480, 545, 551
DL	<i>See</i> description logic
DNA	6, 16, 762
DNA computing	325, 761
document type definition	845
domain of a function	601
double negation	582
dovetailing	340, 353
<i>dspace</i>	558
DTD	<i>See</i> document type definition
Du, Ding-Zhu	276
dynamic programming	84, 260, 268, 457, 477
Earley algorithm	268, 276, 477
Earley, Jay	276
<i>Earleyparse</i>	272, 786
Ebcioğlu, Kemal	815
EBNF	<i>See</i> Extended BNF
edge cover	524
EDGE-COVER	525, 537
Ehrenfeucht, Andrzej	452
electronic music	811
EM	<i>See</i> expectation maximization
Emacs	704
email	727, 830
Emerson, E. Allen	713
EMI	815
emptiness question for	
Büchi automata	92
context-free languages	244
context-sensitive languages	414
regular languages	146
SD languages	356
empty clause	639, 799
empty set	588
<i>emptyFSM</i>	147
<i>emptyFSMcanonicalgraph</i>	146
<i>emptyFSMgraph</i>	146
<i>emptyFSMsimulate</i>	147
encoding	
for complexity analysis	460
multiple values as a single string	310
of binary addition	22
of context-sensitive grammars	409
of graphs	21
of graphs in DNA	325
of multiple tapes as one	296
of natural numbers	460
of Turing machines	307
power of	19
Turing machines encode themselves	443
encryption	<i>See</i> cryptography
English	12, 773, 777
ambiguity	172, 179, 190, 786
grammar	163, 169, 179, 778,
is context-free	239, 781
is not regular	138, 142, 777
Markov model of	780

morphological analysis	773
parser	267
part of speech tagging	775
word list	
Wordnet	750
entailment	582, 585 , 638
Entscheidungsproblem	318 , 333, 381, 402, 452, 504, 704, 711, 804
enumerable	
lexicographically Turing	340
Turing	338
enumerating Turing machines	309
enumeration	12, 587, 616
lexicographic	13, 340
Epp, Susanna	581
<i>eps</i>	58
EqTMs	357, 361, 371
<i>equalFSMs</i>	149
equivalence classes	596
equivalence modulo n	566, 597
equivalence of states in an FSM	71
equivalence question for	
context-free languages	245, 384, 387
context-sensitive languages	413
D languages	357, 759
regular languages	149
SD languages	357, 759
equivalence relation	595
Ethernet	727
Euclid's algorithm	478, 758
Euclidean distance	574, 826
Euler, Leonhard	487
Eulerian circuit	487, 499, 523, 536, 736
Eulerian path	487
EULERIAN-CIRCUIT	487, 499, 523, 736
eureka!	570
evaluation problem in HMMs	84, 790
Evey, R. J.	276
evolution	765
excluded middle	
law of	609
existential generalization	585
expectation maximization	84
expert system	806, 807, 809
E_{expr}	172, 176, 203
EXPTIME	499, 534
EXPTIME-completeness	534, 819
EXPTIME-hardness	534
Extended BNF	698, 845
Extensible Markup Language	845
factorization	477, 492, 569, 758
Falcone, Rino	276
false negative probability	563
false positive probability	563
feature grammar	416, 426, 453, 785
Fermat liar	567
Fermat number	32, 128
Fermat witness	567
Fermat's Little Theorem	567 , 757
Fibonacci sequence	375, 421 , 630
FIFO queue plus FSM	319, 320
finite set	615
finite state automaton	<i>See</i> finite state machine
finite state machine	24, 46 , 154, 553, 719, 728, 751, 760, 768, 825, 831, 833
abacus	836
Antikythera Mechanism	833
equivalence with regular expressions	102
Jacquard loom	836
nondeterministic	37, 53 , 154
Prague orloj	835
Towers of Hanoi	837
finite state machine simulator	63
finite state transducer	75, 768, 839
<i>finiteFSM</i>	149
<i>finiteFSMgraph</i>	148
<i>finiteFSMsimulate</i>	148
finiteness question for	
context-free languages	244
regular languages	147
semidecidable languages	372
<i>first</i>	257 , 276
<i>firstchars</i>	39, 139, 237
first-order logic	583, 644, 795
normal forms	645
resolution	650
undecidability	382
first-order predicate calculus	<i>See</i> first-order logic
first-order predicate logic	<i>See</i> first-order logic
Fischer, Michael	452, 535
fixed point	605
fixed-point theorem	447
FLOAT	112
Floyd, Robert	452
FNP	535
FOL	<i>See</i> first-order logic
<i>follow</i>	257 , 276
<i>FOL_{theorem}</i>	382, 535, 548
FOPC	<i>See</i> first-order logic
Forgy, Charles	808
Fortran	3, 187, 697, 704, 707
forward algorithm	84, 86 , 477, 770, 789, 813
forward chaining	808
forward-backward algorithm	84
four-color problem	526
four-color theorem	526
FOUR-COLORABLE	525
foxtrot	848
FP 535	
fractal	421
Fraenkel, Aviezri	819
FSA	<i>See</i> finite state machine

FSM	<i>See</i> finite state machine
FSM-EMPTY	537
FSMs-INTERSECT	553
<i>fsmtoregex</i>	111
<i>fsmtoregexheuristic</i>	106
FTP	727
Fulkerson, Ray	577
function	601
μ -recursive	442, 453
computable	291, 400, 430, 437, 441
computation by a Mealy machine	75
computation by a Moore machine	75
computation by a Turing machine	291, 430
computation by grammars	399
grammatically computable	399
heuristic	570, 820, 826
partial	429
partial μ -recursive	443
partial recursive	437
partially computable	291, 430, 437
primitive recursive	438, 453
recursive	437
space-constructible	559
static evaluation	820
time-constructible	530
total	429
functional programming	319, 449, 704
functions on languages	39, 139
<i>alt</i>	240
<i>chop</i>	39
<i>copyandreverse</i>	142
<i>firstchars</i>	39
<i>maxstring</i>	140
<i>midchar</i>	142
<i>middle</i>	239
<i>mix</i>	140
<i>pref</i>	142
<i>repl</i>	373
<i>shuffle</i>	142
<i>suff</i>	142
<i>twice</i>	142
Fux, J. J.	815
gadget	500
GALEN	750
Galois theory	348
Galois, Evariste	348
games	
15-puzzle	35, 569, 576
Amazons	819
backgammon	818
checkers	575, 818
chess	7, 503, 534, 575, 815, 818
computer	5, 7, 79, 570, 718, 808, 824
crossword puzzles	817
Go	575, 818, 819
Hex	819
Instant Insanity	569, 817
interactive	5, 7, 79, 570, 718, 808, 824
Nim	347, 484, 560, 816
<i>n</i> -puzzle	569
Othello	819
Sudoku	503, 816
two-person	818
video	5, 7, 79, 570, 718, 806, 808, 824
<i>game-search</i>	822
<i>game-search-α-β</i>	824
Garey, Michael	578
gcd	<i>See</i> greatest common divisor
Gene Ontology Consortium	750
genetic drift	765
genetics	80, 762, 765
genome	763
genotype	763
GG=	387
Ginsburg, Seymour	276, 452
Go	503, 534, 575, 818, 819
God	128
Gödel numbering	448
Gödel, Kurt	318, 383, 448, 451, 585, 586
Gödel's Incompleteness Theorem	<i>See</i> Incompleteness Theorem
Gödel's Completeness Theorem	<i>See</i> Completeness Theorem
Google	79, 81
Gouda, Mohamed	733
grading program	357
<i>Gradus as Parnassum</i>	815
grammar	158
ambiguous	170
attribute	416, 426, 453
context-free	160
context-sensitive	407
correctness proof	166
dance	847
English	163, 169, 179, 778,
feature	416, 426, 453, 785
formalism	158, 321, 393, 416, 419
HTML	844
island	186, 276
Java	163, 178, 698
music	225, 239, 813
normal forms	180
OED definition	843
phrase structure	275, 393
regular	121
right linear	121
specification with BNF	163, 697
stochastic context-free	188, 771, 788, 789
Swiss German	783
transformational	814
type 0	393, 416
unification	417, 426, 453, 785

unrestricted	322, 393 , 452
grammartofsm	122
grammatically computable function	399
graph	
algorithms	6, 486, 488, 489
bipartite	526 , 681
bisection	539
chromatic number	501, 526 , 536
clique detection	494, 497 , 510, 537
coloring	526
complete	526
connected	21, 485 , 541
cut	539
edge cover	524
encoding	21, 461
Eulerian circuit	487 , 499, 523, 536, 736
Eulerian path	487
Hamiltonian circuit	494 , 510, 515, 523
Hamiltonian path	325, 494 , 510
independent set	501, 510, 512, 527
isomorphism	523
longest path	524, 537
minimum spanning tree	488, 736
planar	526
shortest path	523
subgraph isomorphism	510 , 523
traveling salesman problem	457, 496, 514, 542
vertex cover	512 , 524, 736
weighted	488
graphics	5, 847
GRAPH-ISOMORPHISM	523
greatest common divisor	477 , 491
greedy algorithm	489
Greibach normal form	180, 237, 243, 255, 275, 661
Greibach, Sheila	275
Grep	829
Gries, David	621
ground instance	584 , 646
Grumberg, Orna	154, 713
H	330 , 345, 349, 371, 385, 402, 429, 432, 459, 703
H_ϵ	350 , 371, 383, 753
H_{ANY}	366 , 371, 414
hackers	759
Haken, Wolfgang	578
H_{ALL}	355 , 369, 371, 372
halting	26
finite state machines	26, 49 , 283
linear bounded automata	406
pushdown automata	26, 211 , 283
Turing machines	26, 283 , 329
halting problem	26, 329 , 349, 466, 619
Hamiltonian circuit	494 , 510, 523
directed graph	515
Hamiltonian path	325, 494 , 510
HAMILTONIAN-CIRCUIT	460, 494 , 510, 520, 523, 578
HAMILTONIAN-PATH	494 , 510
H_{ANY}	353 , 371
Harel, David	719
Harrison, Michael	276, 753
Hart, Peter	578
Hartmanis, Juris	452, 577
hashing	464, 760
Haskell	319, 704, 710
hearing aids	806
Hendler, James	738
Herbison-Evans, Don	848
Hernandez, Oscar	xii
heterozygous organism	81, 763
heuristic	570
function	570 , 815, 820, 826
search	6, 569 , 578, 820, 826
Hex	819
hidden Markov model	82 , 477
for biological sequence matching	769
for speech understanding	789
of music	812
hierarchical regular expression	104, 722
hierarchy theorems	530
space	559 , 560
time	500, 532
Hilbert, David	318, 375, 452
Hilbert's 10th problem	375 , 452
Hiller, Lejaren	811, 812
HMM	<i>See</i> hidden Markov model
Hoare, C. A. R.	578
homomorphism	604
homozygous organism	763
Hopcroft, John	xi, 276, 452, 453, 578
Horn clause	798
Howell, Peter	813
HPSCHD	811
HTML	5, 16, 186, 844
HTTP	727
hypertext markup language	<i>See</i> HTML
idempotence	605
identity element	606
if statement	177, 701
iff	ix
<i>Illiac Suite for String Quartet</i>	812
immediate constituent analysis	275
Immerman, Neil	558
Immerman-Szelepcsenyi Theorem	558
inbreeding	80
Incompleteness Theorem	318, 383, 448, 586 , 711
inconsistency	586
independent set	501, 527
INDEPENDENT-SET	501 , 510, 512, 527
indistinguishability of strings	65
induction	611
inference engine	808
infinite descending chain	600

infinite set	615
<i>infiniteFSM</i>	149
infix notation	602
inherently ambiguous CFL	172, 258, 384, 701
inherited attribute	419
Insinnamo, Patrizia	276
Instant Insanity	569, 817
integer programming	527
INTEGERSUM	20, 22
intelligent agent	737, 794, 804, 808, 825
interactive gaming	7, 79, 570, 718, 806, 808, 824
Internet	115, 728, 732, 734, 737, 773
interpretation of a wff	584
intersection	
closure under	40, 129, 222, 229, 342, 413
of sets	589, 606
<i>intersectPDAandFSM</i>	224, 246
intractability	459, 465, 503, 561, 796
of first-order logic	804
invariant	
loop	<i>See</i> loop invariant
inverse of a function	604
inverse of a relation	591
IP 115	
IPA alphabet	790
IPL languages	707
irrational number	610
Isaacson, Leonard	812
island grammar	186, 276, 723
island parsing	188, 276
isomorphism	604
graph	510, 523
subgraph	510
iterative deepening	301, 479, 675, 679
Iverson, Kenneth	4
Ives, Charles	812
Jacquard loom	836
Jacquard, Joseph Marie	836
Java	163, 177, 191, 268, 363, 698, 699, 701, 829
Johnson, David	578
Johnson, Selmer	577
Johnson, Stephen	276
Jones, Kevin	812
Jurafsky, Daniel	276, 453
Karhumaki, Juhani	452
Karmarkar, Narendra	527
Karp, Richard	577
Kasami, Tadao	260, 276
Kasparov, Garry	815
KB	<i>See</i> knowledge base
Khachian, Leonid	527
Khoussainov, Bakhadyr	154
Kippen, Jim	814
Kleene star	9, 15
closure under	129, 221, 342, 411
in regular expressions	100
Kleene, Stephen	111, 154, 453
Kleene's Theorem	102, 111, 154, 615
Kleene's <i>s-m-n</i> Theorem	<i>See</i> <i>s-m-n</i> Theorem
KM	704
KNAPSACK	495, 510, 537
knapsack problem	495
Knight, Kevin	793
knowledge base	738, 795, 800, 806
Knuth, Donald	57, 453, 473, 577, 824
Knuth-Morris-Pratt algorithm	57, 473, 482, 577
Ko, Ker-I	276
Koch island	426
Königsberg, Seven Bridges of	486, 536
Kozen, Dexter	820
Kripke structure	713
Kruskal, Joseph	577
Kruskal's algorithm	489, 736
Kuipers, Benjamin	805
Kuroda, S. Y.	453
L = NL?	556
Ladner, Richard	522
Ladner's Theorem	522, 578
Lagarias, Jeff	452
Laird, John	809
LALR parser	267
lambda calculus	318, 319, 452, 704
Landweber, Peter	453
language	10
cardinality	13
context-free	<i>See</i> context-free language
context-sensitive	<i>See</i> context-sensitive language
decidable	26, <i>See</i> decidable language
markup	<i>See</i> markup language
programming	<i>See</i> programming language
query	<i>See</i> query language
RE	<i>See</i> recursively enumerable language
recognition	19
recursive	<i>See</i> recursive language
recursively enumerable	<i>See</i> recursively enumerable language
regular	<i>See</i> regular language
semidecidable	26, <i>See</i> semidecidable language
type 0	<i>See</i> type 0 language
type 1	<i>See</i> type 1 language
type 2	<i>See</i> type 2 language
type 3	<i>See</i> type 3 language
Las Vegas algorithm	564
Lassila, Ora	738
Latin squares	817
law of the excluded middle	609
Lawler, Eugene	577
LBA	<i>See</i> linear bounded automaton
leakage	753
Lebiere, Christian	809
Lee, Lillian	276
left factoring	256

left identity	606	
left recursive grammar rule	253	
left-most derivation	170	
legacy software	187, 722, 723	
legal reasoning	803, 805	
Leiserson, Charles	577	
Lenstra, Jan	577	
Leonardo da Vinci	811	
Lesk, Michael	276	
letter substitution	77, 129, 222 closure under	221
letter-equivalence of languages	235	
Levesque, Hector	795	
Levin, Leonid	504, 577	
Lewis, Harry	xi, 154, 452	
Lex	249, 267, 276	
lexer	249	
lexical analysis	99, 112, 172, 248, 702	
lexicographic enumeration	13, 340	
lexicographic order	13	
lexicographically Turing-enumerable language	340	
Lichtenstein, David	819	
Life, game of	319, 324, 419	
lightweight analysis	722	
Lindenmayer system	159, 319, 419, 453, 815, 843, 848	
Lindenmayer, Aristid	419, 453, 848	
linear bounded automaton	405, 453	
linear programming	527, 577	
linear set	670	
Linear Speedup Theorem	466, 578, 690	
LINEAR-PROGRAMMING	523	
Linz, Peter	452	
Lisp	41, 191, 319, 639, 701, 704, 794	
literal		
in Boolean logic	498, 635	
in first-order logic	645	
little-o	467, 690	
little-omega	467	
LL(k)		
grammar	257	
language	258	
parser	258	
L _{Missing}	53	
logarithmic		
space complexity	555	
space reduction	556	
logic	581	
Boolean	. See Boolean logic	
first-order	. See first-order logic	
in A.I.	795	
predicate	. See first-order logic	
propositional	. See Boolean logic	
logic programming	158, 323, 800	
Logic Theorist	318, 795	
longest English sentence	777	
LONGEST-PATH	524, 537	
longest-prefix heuristic	266	
loom		
Jacquard	836	
loop invariant	166, 621	
LR(k)		
grammar	267	
language	267	
parser	267	
L-system	. See Lindenmayer system	
LT	. See Logic Theorist	
Lucas, Édouard Anatole	837	
machine learning	709	
Macrīcīsum	812	
Mahalanobis, P. C.	577	
Mairson, Harry	153	
Majordomo	829	
Manhattan distance	826	
map coloring	525, 539, 630	
mapping reducibility	350	
mapping reduction	350, 500	
Markov algorithm	319, 322, 452	
Markov chain	. See Markov model	
Markov model	79	
higher order	81, 780	
of English	780	
of inbreeding	80	
of music	811	
of weather	80	
Markov, A. A., Jr.	322, 452	
Markov, A. A., Sr.	154	
markup language	25, 738, 739, 844	
Martin, James	276, 453	
Martin, John	276, 453	
matching algorithm	808	
mathematical induction	611	
Matiyasevich, Yuri	375, 452	
Matiyasevich's theorem	375, 452	
Matlab	97	
matrix multiplication	466, 480	
matrix multiplication and CF parsing	262, 276	
MAX-BISECTION	539	
MAX-CUT	539	
maximal element	599	
maxstring	42, 140, 142, 238, 239	
McCarthy, John	704	
McCulloch, Warren	153	
McCulloch-Pitts neuron	153	
Mealy machine	75, 154, 839	
Mealy, George	75, 154	
medical databases	750	
medical reasoning	650, 750, 807	
Mellish, Christopher S.	801	
membership question for		
context-free languages	241, 243	
context-sensitive languages	406, 407, 413, 554	

regular languages	145
SD languages	333, 355
Turing machines	355
Mendelsohn, Noah	27
Menger, Karl	577
Mersenne number	610
Mersenne prime	610
message routing	736
Messenger Problem	577
metadata	739
Metaphone	78
<i>midchar</i>	142, 429
<i>middle</i>	239
Millenium Problem	499, 577
Miller, Gary	568, 578
Miller-Rabin test	568, 578
MIN-CUT	539
<i>minDFSM</i>	72, 74, 148, 472
minimal element	599
<i>minimalFSM</i>	149
minimalizable function	442
minimalization of a function	441
<i>minimax</i>	575, 708, 794, 820
<i>minimax</i> with α - β pruning	823
minimization	
of FSMs	65, 149
of PDAs	384, 387
of Turing machines	365
minimum spanning tree	458, 488, 499, 577, 736
Minsky, Marvin	452
Minsky's Theorem	452
Misra, Jay	xii, 347, 681
<i>mix</i>	140, 142, 239, 344
ML	319, 704
model checking	74, 89, 154, 381, 497, 641, 644, 712, 717, 721
model of a wff	584
model-based test-case generation	721
Modula-2	701
modular arithmetic	478, 566, 597, 757
modulo equivalence	566, 597
modus ponens	583, 585
modus tollens	583, 612
molecules in universe	335
mono-operational protection framework	753
monotonic reasoning	795
monotonicity	
of a heuristic function	575
Monte Carlo algorithm	564
Moonen, Leon	187, 276, 723
Moore machine	75, 154, 839
Moore, Edward	75, 154
Moore, F. Richard	812
Moore, Ronald	824
morpheme	773
morphological analysis	77, 773, 789
Morris, James	57, 473, 577
most general unifier	652
motif	
protein	114, 762, 768
Motwani, Rajeev	578
Mozart, Wolfgang Amadeus	811
MPCP	681
MST	490, 499, 736
<i>MSTdecide</i>	490
Muller automaton	154
multiplier	839
Murphy, Gail	723
music	79, 225, 239, 811
<i>Musical Dice Game</i>	811
MUSICOMP	812
<i>Musikalisches Würfelspiel</i>	811
mutation	765
mutual exclusion	89, 717
Myhill, John	154
Myhill-Nerode Theorem	70
N3	742
Nakhleh, Luay	xii
namespace	741
Nardi, D	745
<i>n</i> -ary function	602
<i>n</i> -ary relation	591
natural language	
ambiguity	<i>See</i> ambiguity in English
dictionary	<i>See</i> Wordnet
grammar	<i>See</i> English grammar
parser	<i>See</i> parser, natural language
processing	5, 708, 773, 794
natural number	587
natural selection	765
Naur, Peter	697
NDFSM	<i>See</i> nondeterministic finite state machine
<i>ndfsmconvertandsimulate</i>	64
<i>ndfsmssimulate</i>	59, 65, 145, 212
<i>ndfsmstodfsm60</i> , 74, 129, 148, 151, 154, 212, 226, 472, 657	
<i>ndspace</i>	558
negation as failure	803
negative Horn clause	799
negative literal	
in Boolean logic	635
in first-order logic	645
NeqNDFSMs	553
NeqREGEX	553
Nerode, Anil	154
Nerode's Theorem	70
network	
analysis	6, 735
protocol	5, 16, 63, 97, 727
security	759
neural network	153
neuron, artificial	153

Newell, Allen	795, 809, 815
Nilsson, Nils	578
Nim	347, 484, 560, 816
NL	555
NL-completeness	556
NL-hardness	556
NLP	<i>See</i> natural language processing
node cover	<i>See</i> vertex cover
nondeterministic	
bottom-up parser	260
Büchi automaton	90
finite state machine	37, 53, 154
linear bounded automaton	406
program	35
pushdown automaton	38, 194, 197
top-down parser	250
Turing machine	38, 298
nonmonotonic reasoning	795, 804
nonplayer character	826
nonterminal alphabet	121, 158, 393
nonterminal normal form	410
normal form	180
3-conjunctive	636
Chomsky	180, 182, 191, 222, 240, 241, 248, 260, 275, 410, 661
conjunctive for Boolean logic	635
conjunctive for first-order logic	645
deterministic	232, 666
disjunctive	637, 724
for Boolean logic	635
for context-free grammars	180
for context-sensitive grammars	410
for database queries	723
for first-order logic	645
for pushdown automata	204, 232, 666
Greibach	180, 237, 243, 255, 275, 661
nonterminal	410
prenex	645
restricted	204, 232
Norvig, Peter	578, 794
Notation3	742
Notkin, David	723
NOT-SIGMA-STAR	554
NOT-SIGMA-STAR-SQUARING	554
NP	28, 492, 534, 547, 566
NPC	<i>See</i> nonplayer character
NP-complete	459
NP-completeness	459, 503, 510, 522, 547, 578, 636, 817
NP-hardness	503
NPSPACE	499, 544
<i>n</i> -puzzle	569
nullable variable	173, 185, 241, 243
OBDD	<i>See</i> ordered binary decision diagram
obfuscation	83
obtainSelf	365, 443, 447, 448
occur check	651
Ochoa, Gabriella	453
OCR	<i>See</i> optical character recognition
Oettinger, Anthony	276
Ogden, William	276
Ogden's Lemma	233, 240, 276
omega	467
Omega	467
omega automaton	<i>See</i> ω -automaton
one-to-one function	603
onto function	603
ontology	744
open world assumption	744
optical character recognition	28, 83, 524
optimization problem	461
or introduction	583
ordered binary decision diagram	74, 381, 498, 538, 561, 641, 716
ordered binary decision tree	641
ordered pair	590
origami	348
Othello	819
OWL	16, 748
P	28, 459, 483, 522, 534, 547, 557, 566
P = NP?	28, 301, 413, 457, 499
$\mathcal{P}(A)$	<i>See</i> power set
PageRank	79, 81
PalEven	25, 135, 162, 188, 191, 197, 215, 220, 231, 237, 320
palindrome	25, 135, 162, 188, 191, 197, 215, 220, 231, 237, 240, 320
PAM	767
Papadimitriou, Christos	xi, 154, 452
Parikh, Rohit	276
Parikh's Theorem	236, 240, 276, 670
parity bit transducer	76
parity checking	48, 63
parse table	259, 260, 267
parse tree	169
represented as a list	709
parser	169
bottom-up	202, 259
chart	268, 789
CKY	260
context-free	169, 201, 230, 247, 480
deterministic	228, 257, 267
Earley	268, 276
island	188, 276
LALR	267
LL(k)	258
LR(k)	267
natural language	267, 777, 789
predictive	257
recursive-descent	258
shift-reduce	203, 263
top-down	201, 250

parser generator	267
part of speech tagging.....	83, 270, 775 , 789
partial μ -recursive function	443
partial function.....	314, 429 , 603
partial order	597
partial recursive function	437
partially computable function.....	291 , 430, 437
partially ordered set	597
partition of a set	66, 590 , 596
patent law.....	364, 722
path	
Eulerian.....	487
finding.....	457, 514, 523, 570, 826
Hamiltonian	325, 494 , 510
in a directed graph.....	556
in an undirected graph.....	555
through a Turing machine.....	284
pattern language.....	99
Păun, Gheorghe	452
PCP	<i>See</i> Post Correspondence Problem
PDA	<i>See</i> pushdown automaton
PDA _{MIN}	387
PDA _{CFG}	209
Peano arithmetic	318, 334, 382 , 383, 535
Peled, Doron	154, 713
Perl.....	114, 119, 538, 768, 829
Perles, M.....	154, 276, 452
Péter, Rózsa	453
Petrie, Ted.....	154
phenotype	764
phone	790
phoneme	791
phonetic alphabet.....	790
Phonix.....	78
phrase structure grammar	275, 393
physical security system	751
pigeonhole principle	68, 69, 132, 539, 613
Pitts, Walter	153
planar graph.....	526
plant development.....	157, 419, 848
poetry	153
Politi, Michal	719
polynomial	
space algorithm	544
space complexity.....	544
time algorithm.....	470 , 483
time complexity	470 , 483
time reduction	500
population genetics	80
POS tagging.....	<i>See</i> part of speech tagging
positive Horn clause	799
positive literal	
in Boolean logic	635
in first-order logic	645
Post Correspondence Problem	376 , 388, 452, 459, 504
bounded version.....	511, 537
proof in SD	378
proof not in D.....	403, 681
Post machine.....	213, 320
Post production system..	319, 321 , 452, 697, 806, 831
Post, Emil	320, 321, 376, 452, 697, 806
power set.....	590 , 617
Prague orloj	835
Pratt, Vaughan	57, 473, 577
precedence relation	266
precedence table	266
<i>pred</i>	449
predictive parser	257
<i>pref</i>	142, 239
prefix notation	602
prefix of a string	10
prenex normal form	549, 645
Presburger arithmetic.....	383 , 452, 535, 586
Presburger, Mojzesz	452
Prim's algorithm.....	577
primality testing	
6, 20, 32, 483, 491 , 499, 536, 566, 578	
primary structure of a protein	762
prime factorization.....	477, 492, 569, 758
prime number.....	20 , 32, 491, 609
prime number of a's.....	136, 237
Prime Number Theorem	758
Prime _a	136 , 237
PRIMES.....	20 , 32, 460, 491, 499, 536, 566
primitive recursive function.....	319, 438 , 453
<i>Principia Mathematica</i>	317 , 795
prior art	364
probabilistic algorithm.....	<i>See</i> randomized algorithm
probabilistic context-free grammar	188 , 789
probabilistic finite automaton	79
production system.....	157 , 321, 322, 697, 806
profile HMM	769
program	619
program synthesis	709
program verification ..	20, 89, 364, 381, 619, 710, 711
programming language	
5, 24, 25, 155, 172, 178, 221, 247, 268, 319, 697	
Ada.....	<i>See</i> Ada
ALGOL 60.....	<i>See</i> ALGOL 60
Algol 68	<i>See</i> Algol 68
C <i>See</i> C	
C++	<i>See</i> C++
Cobol	<i>See</i> Cobol
Fortran	<i>See</i> Fortran
Haskell	<i>See</i> Haskell
IPL	<i>See</i> IPL languages
Java	<i>See</i> Java
Lisp	<i>See</i> Lisp
ML	<i>See</i> ML
Modula-2.....	<i>See</i> Modula-2
Perl.....	<i>See</i> Perl

Prolog.....	<i>See</i> Prolog
Python.....	<i>See</i> Python
Scheme.....	<i>See</i> Scheme
Prolog	158, 323, 397, 800 , 815
proof	
by construction.....	609
by contradiction	133, 216, 348, 365, 609 , 617, 638
by counterexample.....	610
proper prefix.....	10
proper subset.....	598
proper substring.....	10
proper suffix.....	10
propositional logic.....	<i>See</i> Boolean logic
propositional symbol.....	581
Prosite.....	769
protection framework.....	753
protein	
folding.....	772
matching.....	21, 82, 112, 765 , 767, 769
motif.....	114, 762 , 768
structure.....	761
protocol	
Alternating Bit.....	730
ARQ.....	729
cumulative acknowledgement.....	733
network.....	5, 16, 63
Sliding Window.....	732
Stop-and-Wait.....	729
TCP.....	733
proveFOL	382
Prusinkiewicz, Przemyslaw.....	453
PSPACE	28, 499, 534, 544 , 557
PSPACE-completeness.....	413, 547
PSPACE-hardness.....	547
Pumping Theorem	
context-free.....	216 , 224, 234, 244, 276, 700
regular.....	133 , 146, 153
punched card.....	836
pushdown automaton.....	24, 193 , 276
configuration.....	193
deterministic.....	197, 226
nondeterministic.....	38, 194, 197
Putnam, Hilary.....	796
Python.....	768, 829
QBE.....	<i>See</i> Query by Example
QBF	548 , 796
quantified Boolean expression.....	548
quantified Boolean formula.....	549 , 796
quantifier exchange.....	585
quantum computing.....	466, 492
Query by Example.....	724
query language.....	25, 724, 844
queue plus FSM.....	319, 320
quicksort.....	562 , 578
Quielle, J. P.....	713
Rabin automaton.....	154
Rabin, Michael	154, 452, 535, 568, 578
Rabin-Miller test.....	568, 578
Rado, Tibor.....	453
railroad diagram.....	698
randomized algorithm.....	6 , 491, 563
randomized Turing machine.....	563
range of a function.....	601
Raphael, Bertram.....	578
RBS	<i>See</i> rule-based system
RDF	5 , 739
RDF Schema.....	746
RDF/XML	743
RDFS	<i>See</i> RDF Schema
RE language.....	<i>See</i> recursively enumerable language
recursion theorem.....	365
recursive function.....	437
recursive function theory.....	437
recursive grammar rule.....	161 , 253
recursive language.....	288 , 437
recursive-descent parser.....	258
recursively enumerable language.....	290 , 437
reduce-reduce conflict.....	266
reduction.....	23, 334, 345 , 680
for complexity.....	500
for decidability.....	753
for undecidability	348 , 380, 383, 384, 401, 681, 703, 753
for unsemidecidability.....	366
logarithmic-time.....	556
mapping.....	350, 500
polynomial-time.....	500
via computation history.....	384 , 414
reflexive property of relations.....	594
refutation completeness.....	640, 650
refutation proof.....	<i>See</i> proof by contradiction
regex	<i>See</i> regular expression
regextosm.....	104
regular expression.....	99 , 154, 158, 553
equivalence with FSMs.....	102
for protein motifs.....	768
hierarchical.....	104, 722
in DTDs.....	846
in EBNF.....	698
in lexical analysis.....	249
in lightweight analysis.....	104, 722
in Perl.....	538, 760, 829
with squaring.....	554
regular grammar	121 , 154, 171, 813
regular language	24, 43, 49 , 103, 111, 485
regular Pumping Theorem	<i>See</i> Pumping Theorem, regular
Reid, Brian.....	xii
Reingold, Omer	556
rejecting	
by a deterministic TM.....	288
by a DFSM.....	47

by a nondeterministic TM	299
by a PDA	194
by an NDFSM	54
relation	590
binary	591
relational database	723
RELATIVELY-PRIME	478, 491
<i>removeEps</i>	173, 182, 243, 245, 661
<i>removelefrecursion</i>	255, 661
<i>removeLong</i>	184
<i>removeMixed</i>	184, 661
<i>removeUnits</i>	182, 245, 661
<i>removeunproductive</i>	165, 244, 245
<i>removeunreachable</i>	166, 245
Rendell, Paul	452
<i>repl</i>	373
replication of a string	9
resolution	585
in Boolean logic	537, 638
in first-order logic	382, 650, 794, 796, 798
SLD	800
<i>resolve-Boolean</i>	639
<i>resolve-FOL</i>	653
Resource Description Framework	See RDF
Resource Description Framework Schema	See RDF Schema
respectively	239, 782
restricted normal form for PDAs	204, 232
restriction enzyme	766
RETE	808
reverse	
closure under	129, 221, 342, 426
of languages	15
of strings	10
reverse engineering	187, 722
rewrite system	157, 321, 322, 393, 697, 806
Rice, H. Gordon	276
Rice's Theorem	360, 361
Rich, Elaine	793
right identity	606
right linear grammar	121
right-most derivation	170
Rinnooy Kan, A. H. G.	577
Rivest, Ronald	577, 757
RNA	764, 771
Robbins Algebra Conjecture	650
Robinson, J. Alan	650
Robinson, Julia	577
Robinson, Raphael	453
RoboCup	841
robot soccer	5, 48, 841
Robson, J. M.	819
Roggenbach, Markus	154
Rose, Gene	452
Rosen, Kenneth	581
Rosenbloom, Paul	809
route	
finding	See path finding
routing	736
Rozenberg, Grzegorz	452
RP	564
RSA algorithm	569, 757
Rubik's Cube	42
rule of least power	27, 813
rule-based system	157, 321, 806, 826
Russell, Bertrand	317, 318, 795
Russell, Stuart	578, 794
Russell's paradox	317, 747
Ruzzo, Walter	753
safety	753
Salomaa, Arto	452
Santa Claus	128
SAT36, 314, 381, 459, 495, 497, 499, 504, 505, 528, 541, 548, 577, 640	
SAT solver	504, 641
satisfiability	
in Boolean logic	581, See SAT
in first-order logic	382, 584
Savitch, Walter	578
Savitch's Theorem	555
scheduling problem	569
Scheinberg, Stephen	276
Scheme	319, 701
Schmidt, E.	276
Schottstaedt, William	815
Schubert Lieder	814
Schutzenberger, Marcel-Paul	276, 452
Scott, Dana	154
Scott, Mike	xii
SCXML	719
SD (the semidecidable languages)	290, 329, 335
SD/D	336
search	
<i>A*</i>	570, 794, 826
avoidance by greedy algorithms	489
best-first	570, 708, 815
breadth-first	301, 479, 573, 675, 679
depth-first	250, 301, 479
heuristic	7, 569, 578, 815, 820, 826
in AI programs	794
in game-playing	816, 818, 820, 826
in music composition	815
in puzzle-solving	42, 817
in regex matching	830
in solving NP problems	492
in theorem proving	712, 796
iterative deepening	301, 479, 675, 679
<i>minimax</i>	794, 820
secondary structure of a protein	762
secondary structure of RNA	771
security	751
computer	6, 373, 504, 752

network	759
physical	751
self inverse	606
self-embedding grammar rule	162
self-similarity	420
semantic interpretation function	16 , 99, 419, 740
Semantic Web	5, 6, 27, 737 , 794
semantics	16
semidecidability	31, 290 , 329, 335
of \neg TILES	380
of first-order logic	382
of the Post correspondence problem	378
semidecidable language	26, 290 , 329, 437
semideciding	
by a deterministic TM	290
by a nondeterministic TM	300
semidecision procedure	34 , 329, 335
semilinear	671
semi-Thue system	393, 402 , 452
Sénizergues, Géraud	245
sentence of first-order logic	583
sequence alignment	21, 766
set 587	
complement	589
difference	589
intersection	589
partition	590
union	588
set difference	
closure under	129, 222
Seta, Takahiro	578
Sethi, Ravi	276
set-of-support strategy	640 , 654, 800
SET-PARTITION	495 , 510, 537
Seven Bridges of Königsberg	486 , 536
Shamir, Adi	757
Shamir, Eliahu	154, 276, 452
Shannon, Claude	780, 815, 820
Shaw, J. C.	795
shift-reduce conflict	265
shift-reduce parser	203, 263
Shmoys, David	577
Shor, Peter	577
Shor's algorithm	492, 577
SHORTEST-PATH	524, 569, 736
SHORTEST-SUPERSTRING	511 , 772
shuffle	142 , 239
Sierpinski triangle	422 , 424
Sifakis, J.	713
simcomputer	302
Simon, Herbert	795, 815
SIMPLE-MAX-CUT	539
simple-rewrite	157 , 166
simplex algorithm	527
Simulink	97
singleton set	588
Sipser, Michael	xi, 154, 564, 819
Skolem constants	647
Skolem functions	647
Skolem, Thoraf	646
Skolemization	646, 647
SLD resolution	655, 800
Sliding Window protocol	732
<i>smn</i> Theorem	<i>See s-m-n</i> Theorem
<i>s-m-n</i> Theorem	449
SMTP	727
SOAR	809 , 827
soccer-playing robot	5, 48, 841
sonata form	813
sorting	562, 578
Soules, George	154
sound wave	790
Soundex	77
soundness	
of an inference rule	582, 585
of resolution	640
with respect to a world	586
space hierarchy theorems	530 , 559 , 560
space-constructible function	559
space-craft controller	718
spam	82, 84, 114, 781, 830
spanning tree	488, 736
species counterpoint	815
speech understanding	82, 188, 477, 789
Speedup Theorem	466, 578, 690
spell checking	780
SPIN	718
SQL	844
Stacy, Cathy	xii
standards	
definition of	6, 734, 739, 745
statechart	63, 97, 719
statement of first-order logic	583
static evaluation function	820
statistical A.I.	795
STCON	556, 557
Stearns, Richard E.	577
Stein, Clifford	577
stochastic context-free grammar	188 , 771, 788, 789
stochastic finite automaton	79
Stock, Oliviero	276
Stockmeyer, Larry	820
Stone, Peter	841
Strassen, Volker	276, 480, 577
Strassen's algorithm	263, 276, 466, 480 , 483, 577
string	9
string search	56, 112, 472, 482, 577
STRING-SEARCH	472
strong generative capacity	169 , 179, 186, 779
strong induction	613
SUBGRAPH-ISOMORPHISM	510 , 523
sublinear space complexity	554

subset	588, 598
SUBSET-SUM	495, 510, 537
substring	10, 629
subsumption	598, 640, 745
successor function	292, 399, 429, 431, 438, 442, 443, 601
Sudkamp, Thomas	578
Sudoku	42, 503, 510, 578, 816
suff	142
suffix of a string	10
surface structure	814
SVG	159, 847
Swiss German grammar	783
switch statement	698
<i>Switched on Bach</i>	811
symbolic model checking	74, 89, 154, 381, 497, 641, 644, 712, 717
symmetric key system	757
symmetric matrix	594
symmetric property of relations	594
syntactic analysis	
in compilers	702
in natural language processing	777
synthesized attribute	419
Szelepcsenyi, Róbert	558
tabla drumming	814
tag system	213, 319, 320, 452
tautology	
Boolean logic	581
first-order logic	584
in Boolean logic	528
taxicab ripoff problem	538
Taylor, R. Gregory	452
TCP	63, 727, 733
temporal logic	714
term	583
terminal alphabet	121, 158, 393
test case generation	721, 781
text editing	57, 830
text-processing software	781
theorem	582, 585
theorem prover	712, 748, 795, 804
theory, first-order logical	382
thesaurus	750
Theta	467
Thomas, Wolfgang	154
THREE-COLORABLE	525, 539
Thue system	402
Thue, Axel	402
TILES	380, 504, 538
tiling problem	379, 504, 538
time hierarchy theorems	500, 530
time-constructible function	530
TM	<i>See</i> Turing machine
TM _{MIN}	365, 371
TM _{REG}	362, 371
token	112, 248, 702
top-down parser	201, 250, 419
total function	429, 603
total order	13, 600
totalFSM	147
totally ordered set	600
Towers of Hanoi	128, 459, 837
Towers of Hanoi language	838
tractability	459, 465, 483
training problem in HMMs	84
transducer	
finite state	75, 768, 839
transformational grammar	814
transitive closure	607
transitivity	594
traveling salesman problem	6, 457, 461, 492, 496, 499, 510, 514, 522, 527, 528, 536, 542, 561, 577
triangle inequality	458, 577
trigram model	780
trigram tagger	776
trisecting an angle	348
TSP	<i>See</i> traveling salesman problem
TSP-DECIDE	461, 492, 496, 522, 528
Turing Award	4, 154, 577, 697
Turing machine	25, 279
deterministic	280
enumeration by	338
enumeration of	309
function computation	291, 430
macro language	284
multitape	293
nondeterministic	38, 298
randomized	563
universal	310
Turing reducibility	349
Turing test	793
Turing, Alan	318, 452, 793, 804, 815
Turing-enumerable language	338
Turing-recognizable language	290
tutoring system	808
twice	142
twin primes	142
TWO-COLORABLE	525, 539, 630
two-person games	503, 552, 818
type 0 grammar	393
type 0 language	416
type 1 language	416
type 2 language	416
type 3 language	416
type checking	238, 699, 702
U (the universal TM)	307, 310
Ullman, Jeffrey	xi, 276, 453, 578, 753
UML	719
unary function	602
uncountably infinite set	619
undecidability	31, 345

of a simple security system	753
of context-free languages	173, 384
of first-order logic	318, 382 , 650, 796, 804
of Hilbert's 10 th problem	375
of the halting problem	331 , 348 , 466
of the Post correspondence problem	378
of tiling problems	380
unification	417, 650
unification grammar	417 , 426, 453, 785
Unified Modeling Language	719
<i>unify-for-resolution</i>	651
union	
closure under	40, 129, 221, 229, 342, 411
of sets	588, 606
unit preference strategy	640 , 654
unit production	182
universal instantiation	585
universal resource identifier	50, 191, 738
universal Turing machine	307, 310, 314
universe, age of	441, 457, 838
unreachable variables in context-free grammars	165
unrestricted grammar	319, 322, 393 , 402, 452, 813
UNSAT	528 , 640
unsatisfiability	
in Boolean logic	528, 581, 638
in first-order logic	584, 650
unweighted graph	488
URI	<i>See</i> universal resource identifier
useless variables in context-free grammars	165
USTCON	555
Valiant, Leslie	276
VALID	381 , 528
validity	
in Boolean logic	381, 497, 528, 581
in first-order logic	382, 584
vending machine FSM	45
Venn diagram	588
verification of programs	20, 89, 364, 381, 619, 710, 711
verifier	493
vertex cover	512 , 524, 736
VERTEX-COVER	512 , 525, 538, 736
video game	<i>See</i> games, video
virus	443
virus detection	357, 759
Viterbi algorithm	84 , 86, 154, 477, 770, 776, 790, 813
Viterbi, Andrew	154
W3C	<i>See</i> World Wide Web Consortium
Wang tile	379
Wang, Hao	452
Wang's conjecture	380
Warshall's algorithm	609
WCW	220 , 224, 289, 406, 480, 699, 783
weak generative capacity	169 , 179, 186, 779
weighted graph	488
Weiss, Norman	154
well-founded set	600 , 620
well-ordered set	600 , 613
West, Robert	813
wff	
Boolean logic	581
first-order logic	583
Whitehead, Alfred North	317, 318, 795
Winograd, Shmuel	276, 577
without\$	228 , 246
Wolfram, Stephen	324, 452
word problem	402
word processing	57
Wordnet	750
working memory	807
World Wide Web	27, 50, 79, 81, 727, 737 , 844, 847
World Wide Web Consortium	739
worst-case performance	464
WW25	215 , 224, 314, 320, 322, 395, 425, 783, 813, 830
XML	16, 115, 741, 743, 845 , 847
Yacc	250, 267 , 276
Yato, Takayuki	578
Younger, Daniel	260, 276
zero of a function	606
Zloof, Moshé	724
ZPP	565
Zuckerman, David	xii