CS378 Autonomous Multiagent Systems Spring 2005

Prof: Peter Stone TA: Mazda Ahmadi

Department or Computer Sciences The University of Texas at Austin

Week 3a: Tuesday, February 1

Good Afternoon, Colleagues

Are there any questions?





• Programming assignment questions?





- Programming assignment questions?
 - Some concern over assignment 2





- Programming assignment questions?
 - Some concern over assignment 2
 - Extra credit applies to assignment 3





- Programming assignment questions?
 - Some concern over assignment 2
 - Extra credit applies to assignment 3
- Next week's readings up
 - Multiagent Systems an overview
 - Another overview (optional)
 - Pushing Brooks' approach to MAS





- Programming assignment questions?
 - Some concern over assignment 2
 - Extra credit applies to assignment 3
- Next week's readings up
 - Multiagent Systems an overview
 - Another overview (optional)
 - Pushing Brooks' approach to MAS
 - Free-form response



Writing

- Direct, articulate responses
 - Thesis sentence
 - Supporting argument
 - Demonstrate that you know what you're saying



Writing

- Direct, articulate responses
 - Thesis sentence
 - Supporting argument
 - Demonstrate that you know what you're saying

One way that TCA departs from Rodney Brooks' design principles is that TCA employs a central control module. TCA's central component routes messages to the various connected modules and maintains control information. Brooks' designs, on the other hand, connected perception directly to actions, bypassing any form of central control and also any central representation of the world.



• Any reactions?



The Decision



• reactive vs. deliberative (3 senses)



- reactive vs. deliberative (3 senses)
 - Respond in a timely fashion
 - No complex respresentation
 - No state at all (respond to current percepts)



- reactive vs. deliberative (3 senses)
 - Respond in a timely fashion
 - No complex respresentation
 - No state at all (respond to current percepts)
- multiagent reasoning?



- reactive vs. deliberative (3 senses)
 - Respond in a timely fashion
 - No complex respresentation
 - No state at all (respond to current percepts)
- multiagent reasoning?
- learning?



It is worth observing that state-based agents as defined here are in fact no more powerful than the standard agents we introduced earlier. In fact, the are *identical* in their expressive power.



It is worth observing that state-based agents as defined here are in fact no more powerful than the standard agents we introduced earlier. In fact, the are *identical* in their expressive power.

• Standard agent:

 $action: \mathcal{S}^* \mapsto \mathcal{A}$



Reactive Agents (from the book)

- $action : \mathcal{P} \mapsto \mathcal{A}$
- Decision based entirely on the present



Reactive Agents (from the book)

- $action : \mathcal{P} \mapsto \mathcal{A}$
- Decision based entirely on the present
 - True of Brooks' "reactive" agents?



Reactive Agents (from the book)

- $action : \mathcal{P} \mapsto \mathcal{A}$
- Decision based entirely on the present
 - True of Brooks' "reactive" agents?

Reactive agents for last week's assignment task?





- Autonomous mobile agents that are seen as intelligent
- No interest in applications
- Timely, robust, do something



- Autonomous mobile agents that are seen as intelligent
- No interest in applications
- Timely, robust, do something
- How differ from Simmons' goals?



- Autonomous mobile agents that are seen as intelligent
- No interest in applications
- Timely, robust, do something
- How differ from Simmons' goals?
 - What are their stances towards modeling biology?
 - Which is more biologically plausible?



- Autonomous mobile agents that are seen as intelligent
- No interest in applications
- Timely, robust, do something
- How differ from Simmons' goals?
 - What are their stances towards modeling biology?
 - Which is more biologically plausible?

Subsumption Architecture



- Autonomous mobile agents that are seen as intelligent
- No interest in applications
- Timely, robust, do something
- How differ from Simmons' goals?
 - What are their stances towards modeling biology?
 - Which is more biologically plausible?

Subsumption Architecture

(journal article, page 2)

