CS 327E Intro

September 9, 2019

Basic Terminology

- Relation / Entity Type / Table
- Field / Attribute / Column
- Record / Entity / Tuple / Row
- Cell / Value
- Datatype (e.g. INT, NUMERIC, STRING, BOOL, DATE, TIMESTAMP)
- Constraint (e.g. NOT NULL, Primary Key, Foreign Key)
- Schema
- Database versus Dataset

Table Relationship: One-to-Many (1:m)





Table Relationship: One-to-Many (1:m)



Author

<u>id</u>	name	section
1	Mary Tuma	news
2	Michael King	arts
3	Nina Hernandez	news
4	Sunil Kumar	music

Article

<u>id</u>	title	date	authid
1	Turmoil at the Zoo	2019-01-26	1
2	CodeNEXT's New Friend	2019-01-27	1
3	Quote of the Week	2019-01-27	3
4	SXSW News	2019-01-28	2
5	More from Steve Adler	2019-01-28	1

Table Relationship: One-to-One (1:1)



Table Relationship: One-to-One (1:1)



Article

<u>id</u>	title	date	authid
1	Turmoil at the Zoo	2019-01-26	1
2	CodeNEXT's New Friend	2019-01-27	1
3	Quote of the Week	2019-01-27	3
4	SXSW News	2019-01-28	2
5	More from Steve Adler	2019-01-28	1

Article_Stats

<u>id</u>	clicks	likes	dislikes	comments
1	120	45	9	13
2	0	0	0	0
3	8	0	0	2
4	30	4	0	1
5	9	1	3	3

Table Relationship: Many-to-Many (m:n)



Table Relationship: Many-to-Many (m:n)



Tag

<u>id</u>	tag	aids
1	Politics	1, 2, 5
2	Austin	1, 2, 3, 4, 5
3	Mayor	3, 5
4	Business	1, 2, 5
6	Land Development	2
37	Animals	1

Article

<u>id</u>	title	date	authid	tids
1	Turmoil at the Zoo	2019-01-26	1	4, 37, 2
2	CodeNEXT's New Friend	2019-01-27	1	2, 6
3	Quote of the Week	2019-01-27	3	2, 3
4	SXSW News	2019-01-28	2	2, 40, 7
5	More from Steve Adler	2019-01-28	1	2, 3, 4

Representation of Many-to-Many (m:n)




Table Relationship: Many-to-Many (m:n)

Tag

<u>id</u>	tag
1	Politics
2	Austin
3	Mayor
4	Business
6	Land Development
37	Animals

Article

<u>id</u>	title	date	authid
1	Turmoil at the Zoo	2019-01-26	1
2	CodeNEXT's New Friend	2019-01-27	1
3	Quote of the Week	2019-01-27	3
4	SXSW News	2019-01-28	2
5	More from Steve Adler	2019-01-28	1

Tagged_Article

<u>tid</u>	<u>aid</u>	
4	1	
37	1	
2	1	
2	2	
6	2	

iClicker Setup Test

iClicker Question

Have you ever spent many hours on a piece of software, made lots of mistakes, and eventually fixed things with some insight?

- A. Yes, I know this feeling!
- B. Maybe, but it's been a while since I've written code
- C. No, my code usually runs without too much work

Term Project

- Create a data warehouse
- 12 Milestones
- <u>Milestone 1</u> due this Friday

Datasets

- A set of related data files produced from the same source
- Dataset types: main dataset and secondary dataset
- Choose data you want to analyze to gain some insights on a particular topic or domain

Main Dataset

- aka Dataset1
- Comprised of *N* files (3 < *N* < 30)
- Tabular format (e.g. CSV)
- At least 10K rows per file
- At least 5 columns per file
- Multiple parent/child relationships present in the data
- Uncleansed data

Secondary Dataset

- aka *Dataset2*
- Related to your main dataset (aka Dataset1)
- Comprised of N files (3 < N < 30)
- At least 10K rows per file
- At least 5 columns per file
- Tabular format (e.g. CSV)
- Uncleansed data

A Few Examples

Topic	Main Dataset	Secondary Dataset
Transportation	Airline on-time performance (source: Bureau of Transportation Statistics)	Storm events (source: NOAA)
Housing	<u>Short-term rentals in various cities</u> (source: Airbnb)	<u>Long-term rentals nationwide</u> (source: Zillow)
Employment	H1B visa applications (source: US Citizenship and Immigration Services)	Corporate Registrations (source: Secretary of State, accessible via Enigma Public) Occupational Employment Survey (source: Bureau of Labor Statistics)
Movies	Hollywood Movies, Directors, Actors (source: IMDB)	Bollywood Movies, Actors and Songs (source: Kaggle)
Music	Artists and Songs (source: MusicBrainz)	Artists, Labels, Recordings (source: Discog)

Main Dataset: H1B Visa applications

Source:

US Dept. of Labor

Tables:

2015 table: 241 MB, 618,804 rows 2016 table: 233 MB, 647,852 rows 2017 table: 253 MB, 624,650 rows 2018 table: 283 MB, 654,162 rows

Schemas:

-A few schema variations between the tables (column names, data types).

Project Work:


- -Imported files into staging tables
- -Milestone 2

Table Details: H1B_Applications_2017

Schema Details Previ	ew	
case_number	STRING	NULLABLE
visa_class	STRING	NULLABLE
case_status	STRING	NULLABLE
employer_name	STRING	NULLABLE
employer_business_dba	STRING	NULLABLE
employer_address	STRING	NULLABLE
employer_city	STRING	NULLABLE
employer_state	STRING	NULLABLE
employer_postal_code	STRING	NULLABLE
employer_country	STRING	NULLABLE
employer_province	STRING	NULLABLE
employer_phone	STRING	NULLABLE
employer_phone_ext	STRING	NULLABLE
naics_code	STRING	NULLABLE
soc_name	STRING	NULLABLE
soc_code	STRING	NULLABLE
job_title	STRING	NULLABLE
total_workers	INTEGER	NULLABLE
case_submitted	TIMESTAMP	NULLABLE
decision_date	TIMESTAMP	NULLABLE

employment_start_date	TIMESTAMP	NULLABLE
employment_end_date	TIMESTAMP	NULLABLE
full_time_position	BOOLEAN	NULLABLE
prevailing_wage	FLOAT	NULLABLE
pw_unit_of_pay	STRING	NULLABLE
wage_rate_of_pay_from	FLOAT	NULLABLE
wage_rate_of_pay_to	FLOAT	NULLABLE
wage_unit_of_pay	STRING	NULLABLE
worksite_city	STRING	NULLABLE
worksite_county	STRING	NULLABLE
worksite_state	STRING	NULLABLE
worksite_postal_code	STRING	NULLABLE
agent_attorney_name	STRING	NULLABLE
agent_representing_employer	BOOLEAN	NULLABLE
agent_attorney_city	STRING	NULLABLE
agent_attorney_state	STRING	NULLABLE
h1b_dependent	BOOLEAN	NULLABLE
willful_violator	BOOLEAN	NULLABLE
original_cert_date	TIMESTAMP	NULLABLE
new_employment	FLOAT	NULLABLE
continued_employment	FLOAT	NULLABLE
change_previous_employment	FLOAT	NULLABLE
new_concurrent_employment	FLOAT	NULLABLE

H1B Normalized Database



Project Work:

- -Merged and split raw tables
- -Enforced referential integrity
- -Removed duplicate records
- -Milestones 4, 5, 6




Table Sizes (as rows):						
	v1	v2				
Employer	348,876	161,759				
Job	2,230,779	2,230,625				
Application	2,633,426	2,633,156 N/A				
Attorney	19,861					

	Job	
PK	job_id	String
FK	employer_id	String
	employment_start_date	Date
	employment_end_date	Date
	job_title	String
	wage_rate_of_pay_from	Float
	wage_rate_of_pay_to	Float
	wage_unit_of_pay	String
	worksite_city	String
	worksite_county	String
	worksite_state	String
	worksite_postal_code	String
	soc_code	String
	soc_name	String
	total_workers	Integer
	full_time_position	Boolean
	prevailing_wage	Float
	pw_unit_of_pay	String
	pw_wage_level	String
	pw_source	String
	pw_source_year	Integer
2	pw_source_other	String

Secondary Dataset: Corporate Registrations

Source:

Secretary of State from 13 states

Tables:

AZ: 225 MB, 869,943 rows CA: 1.1 GB, 3,792,457 rows

CO: 38 MB, 160,808 rows

CT: 192 MB, 796,877 rows GA: 302 MB, 2,076,016 rows;

116 MB, 2,063,919 rows

MA: 221 MB, 1,066,639 rows MN: 374 MB, 1,688,714 rows;

799 MB, 4,072,355 rows

MO: 133 MB, 2,364,476 rows; 519 MB, 2,115,151 rows NC: 262 MB, 1,389,877 rows

OH: 497 MB, 2,408,556 rows NY: 512 MB, 2,587,015 rows

VA: 111 MB, 334,008 rows WA: 205 MB, 1,152,309 rows Table Details: Corporate_Registrations_CA

Schema Details Preview so file number STRING corporation_number INTEGER corporation status STRING corporation classification STRING corporation_name STRING care_of_name STRING mail address line 1 STRING mail_address_line_2 STRING mail_address_city STRING mail address state or country STRING mail_address_zip_code STRING corporation_type STRING incorporation date DATE DATE so file date term_expiration_date DATE chief_executive_officer_name STRING

chief_executive_officer_address_line_1	STRING
chief_executive_officer_address_line_2	STRING
chief_executive_officer_address_city	STRING
chief_executive_officer_address_state_or_county	STRING
chief_executive_officer_address_zip_code	STRING
agent_name	STRING
agent_address_line_1	STRING
agent_address_line_2	STRING
agent_address_city	STRING
agent_address_state_or_county	STRING
agent_address_zip_code	STRING
state_or_foreign_country	STRING
ftb_suspension_status	STRING
corporation_tax_base	STRING
transaction_julian_date	DATE
ftb_suspension_string	STRING
filler	STRING

Secondary Dataset: Occupational Employment Survey

Source: Bureau of Labor Statistics

Wages Tables:

2015: 29.2 MB, 473,717 rows 2016: 29.9 MB, 484,390 rows 2017: 29.9 MB, 484,390 rows 2018: 29.9 MB, 485,211 rows

Geography Table Sizes:

2015: 340 KB, 4,765 rows 2016: 357 KB, 4,991 rows 2017: 357 KB, 4,991 rows 2018: 357 KB, 4,991 rows

Project Work:

-Imported files into staging tables

-Milestone 9

Table Details: All_Industries_Wages_2018

Schema	Details	Preview

Row	Area	SocCode	GeoLvI	Level1	Level2	Level3	Level4	Average
485200	5100003	27-1022	4	18.57	28.24	37.92	47.59	37.92
485201	5100004	27-1022	4	18.57	28.24	37.92	47.59	37.92
485202	5400001	27-1022	4	18.57	28.24	37.92	47.59	37.92
485203	5400002	27-1022	4	18.57	28.24	37.92	47.59	37.92
485204	6600001	27-1022	4	18.57	28.24	37.92	47.59	37.92
485205	73050	27-1022	4	18.57	28.24	37.92	47.59	37.92
485206	74950	27-1022	4	18.57	28.24	37.92	47.59	37.92


Table Details: Geography_2018

Schema Details Preview

Row	Area	AreaName	StateAb	State	CountyTownName
4416	71654	Boston-Cambridge-Newton, MA NECTA Division	MA	MASSACHUSETTS	NORFOLK (STOUGHTON)
4417	71654	Boston-Cambridge-Newton, MA NECTA Division	MA	MASSACHUSETTS	NORFOLK (FRANKLIN)
4418	71654	Boston-Cambridge-Newton, MA NECTA Division	MA	MASSACHUSETTS	NORFOLK (MEDWAY)
4419	71654	Boston-Cambridge-Newton, MA NECTA Division	MA	MASSACHUSETTS	NORFOLK (NORWOOD)
4420	71654	Boston-Cambridge-Newton, MA NECTA Division	MA	MASSACHUSETTS	NORFOLK (CANTON)
4421	71654	Boston-Cambridge-Newton, MA NECTA Division	MA	MASSACHUSETTS	NORFOLK (DEDHAM)
4422	71654	Boston-Cambridge-Newton, MA NECTA Division	MA	MASSACHUSETTS	NORFOLK (DOVER)

Refresh

Query Table



Project Work:


- -Merged corp. registration tables
- -Merged wages tables
- -Merged geography tables
- -Normalized corporation name, city, state

Milestones 9 and 10

Pay Gaps by Occupation:

Sample Reports

Occupations which pay H1B workers higher than domestic workers



Occupations which pay H1B workers lower than domestic workers

