
CS 391L: Machine Learning: Instance Based Learning

Raymond J. Mooney
University of Texas at Austin

1

Instance-Based Learning

- Unlike other learning algorithms, does not involve construction of an explicit abstract generalization but classifies new instances based on direct comparison and similarity to known training instances.
- Training can be very easy, just memorizing training instances.
- Testing can be very expensive, requiring detailed comparison to all past training instances.
- Also known as:
 - Case-based
 - Exemplar-based
 - Nearest Neighbor
 - Memory-based
 - Lazy Learning

2

Similarity/Distance Metrics

- Instance-based methods assume a function for determining the similarity or distance between any two instances.
- For continuous feature vectors, Euclidian distance is the generic choice:

$$d(x_i, x_j) = \sqrt{\sum_{p=1}^n (a_p(x_i) - a_p(x_j))^2}$$

Where $a_p(x)$ is the value of the p th feature of instance x .

- For discrete features, assume distance between two values is 0 if they are the same and 1 if they are different (e.g. Hamming distance for bit vectors).
- To compensate for difference in units across features, scale all continuous values to the interval $[0,1]$.

3

Other Distance Metrics

- **Mahalanobis distance**
 - Scale-invariant metric that normalizes for variance.
- **Cosine Similarity**
 - Cosine of the angle between the two vectors.
 - Used in text and other high-dimensional data.
- **Pearson correlation**
 - Standard statistical correlation coefficient.
 - Used for bioinformatics data.
- **Edit distance**
 - Used to measure distance between unbounded length strings.
 - Used in text and bioinformatics.


4

K-Nearest Neighbor

- Calculate the distance between a test point and every training instance.
- Pick the k closest training examples and assign the test instance to the most common category amongst these nearest neighbors.
- Voting multiple neighbors helps decrease susceptibility to noise.
- Usually use odd value for k to avoid ties.

5


5-Nearest Neighbor Example



6

Implicit Classification Function

- Although it is not necessary to explicitly calculate it, the learned classification rule is based on regions of the feature space closest to each training example.
- For 1-nearest neighbor with Euclidian distance, the **Voronoi diagram** gives the complex polyhedra segmenting the space into the regions closest to each point.



7

Efficient Indexing

- Linear search to find the nearest neighbors is not efficient for large training sets.
- Indexing structures can be built to speed testing.
- For Euclidian distance, a **kd-tree** can be built that reduces the expected time to find the nearest neighbor to $O(\log n)$ in the number of training examples.
 - Nodes branch on threshold tests on individual features and leaves terminate at nearest neighbors.
- Other indexing structures possible for other metrics or string data.
 - Inverted index for text retrieval.

8


Nearest Neighbor Variations

- Can be used to estimate the value of a real-valued function (regression) by taking the average function value of the k nearest neighbors to an input point.
- All training examples can be used to help classify a test instance by giving every training example a vote that is weighted by the inverse square of its distance from the test instance.

9

Feature Relevance and Weighting


- Standard distance metrics weight each feature equally when determining similarity.
 - Problematic if many features are irrelevant, since similarity along many irrelevant examples could mislead the classification.
- Features can be weighted by some measure that indicates their ability to discriminate the category of an example, such as information gain.
- Overall, instance-based methods favor global similarity over concept simplicity.



10

Rules and Instances in Human Learning Biases

- Psychological experiments show that people from different cultures exhibit distinct categorization biases.
- “Western” subjects favor simple rules (straight stem) and classify the target object in group 2.
- “Asian” subjects favor global similarity and classify the target object in group 1.



11

Other Issues

- Can reduce storage of training instances to a small set of representative examples.
 - Support vectors in an SVM are somewhat analogous.
- Can hybridize with rule-based methods or neural-net methods.
 - Radial basis functions in neural nets and Gaussian kernels in SVMs are similar.
- Can be used for more complex relational or graph data.
 - Similarity computation is complex since it involves some sort of graph isomorphism.
- Can be used in problems other than classification.
 - Case-based planning
 - Case-based reasoning in law and business.

12

Conclusions

- IBL methods classify test instances based on similarity to specific training instances rather than forming explicit generalizations.
- Typically trade decreased training time for increased testing time.

13