#### CS311H: Discrete Mathematics

#### Combinatorics 3

Instructor: Ișil Dillig

Instructor: Isil Dillie

S311H: Discrete Mathematics Combinatorics 3

#### Combinations with Repetition

- Combinations help us to answer the question "In how many ways can we choose r objects from n objects?"
- ▶ Now, consider the slightly different question: "In how many ways can we choose *r* objects from *n* kinds of objects?
- ► These questions are quite different:
  - ▶ For first question, once we pick one of the n objects, we cannot pick the same object again
  - For second question, once we pick one of the n kinds of objects, we can pick the same type of object again!
- Combination with repetition allows answering the latter type of question!

Instructor: Ișil Dillij

311H: Discrete Mathematics Combinatorics 3

#### Example


- ► An ice cream dessert consists of three scoops of ice cream
- ► Each scoop can be one of the flavors: chocolate, vanilla, mint, lemon, raspberry
- ▶ In how many different ways can you pick your dessert?
- ► Example of combination with repetition: "In how many ways can we pick 3 objects from 5 kinds of objects?"
- ► Caveat: Despite looking deceptively simple, quite difficult to figure this out (at least for me...)

Instructor: Işıl Dillig,

CS311H: Discrete Mathematics Combinatorics 3

3/26

Example, cont.




- ► To solve problem, imagine we have ice cream in boxes.
- ▶ We start with leftmost box, and proceed towards right.
- ▶ At every box, you can take 0-3 scoops, and then move to next.
- ▶ Denote taking a scoop by o and moving to next box by →

Instructor: Ișil Dillig

CS311H: Discrete Mathematics Combinatorics

4/26

Example, cont.



- ▶ Let's look at some selections and their representation:
  - ▶ 3 scoops of chocolate:  $\circ \circ \circ \to \to \to \to$
  - ▶ 1 vanilla, 1 raspberry, 1 lemon:  $\rightarrow \circ \rightarrow \rightarrow \circ \rightarrow \circ$
  - $\blacktriangleright \ \ 2 \ \mathsf{mint}, \ 1 \ \mathsf{raspberry} \colon \to \to \circ \circ \to \circ \to$
- ▶ Invariant: r circles and n-1 arrows (here, r=3, n=5)
- lackbox Our question is equivalent to: "In how many ways can we arrange r circles and n-1 arrows?"

Instructor: Işıl Dillig

CS311H: Discrete Mathematics Combinatorics 3

Result

▶ We'll denote the number of ways to choose r objects from n kinds of objects  $C^*(n, r)$ :

$$C^*(n,r) = \left(\begin{array}{c} n+r-1\\ r \end{array}\right)$$

- ► Example: In how many ways can we choose 3 scoops of ice cream from 5 different flavors?
- ▶ Here, r = 3 and n = 5. Thus:

$$\left(\begin{array}{c} 7\\3 \end{array}\right) = \frac{7!}{3! \cdot 4!} = 35$$

Instructor: Ișil Dillig,

CS311H: Discrete Mathematics Combinatorics 3

6/26

### Example 1

- ► Suppose there is a bowl containing apples, oranges, and pears
  - ► There is at least four of each type of fruit in the bowl
- ► How many ways to select four pieces of fruit from this bowl?

•

Instructor: Ișil Dilli

S311H: Discrete Mathematics Combinatorics 3

# Example 2

- ► Consider a cash box containing \$1 bills, \$2 bills, \$5 bills, \$10 bills, \$20 bills, \$50 bills, and \$100 bills
  - ► There is at least five of each type of bill in the box
- ▶ How many ways are there to select 5 bills from this cash box?

•

al Dillig, CS311H: Discrete Mathematics Co

te Mathematics Combinatorics 3 8/26

### Example 3

- Assuming  $x_1, x_2, x_3$  are non-negative integers, how many solutions does  $x_1 + x_2 + x_3 = 11$  have?
- •
- •

Instructor: Ișil Dillig,

CS311H: Discrete Mathematics Combinatorics 3

### Example 4

- ▶ Suppose  $x_1, x_2, x_3$  are integers s.t.  $x_1 \ge 1$ ,  $x_2 \ge 2$ ,  $x_3 \ge 3$ .
- ▶ Then, how many solutions does  $x_1 + x_2 + x_3 = 11$  have?
- $\blacktriangleright$
- •
- •

Instructor: Ișil Dillig,

CS311H: Discrete Mathematics Combinatorics 3

## Summary of Different Permuations and Combinations

Order matters?	Question: How many ways to pick $r$ objects from	
	n objects	n types of objects
Yes	Permutation $P(n,r) = \frac{n!}{(n-r)!}$	Permutation w/ repetition $P^*(n,r) = n^r \label{eq:problem}$
No	Combination $C(n,r) = \frac{n!}{r! \cdot (n-r)!}$	Combination w/ repetition $C^*(n,r) = \frac{(n+r-1)!}{r!\cdot (n-1)!}$

### Permutations with Indistinguishable Objects

- ► How many different strings can be made by reordering the letters in the word ALL?
- ► This is not given by 3! because some of the letters in this word are the same
- ▶ Different strings: ALL, LAL, LLA  $\Rightarrow$  3 possibilities, not 6 because relative ordering of L's doesn't matter
- ightharpoonup In general, how can we compute the number of permutations of n objects where some of them are indistinguishable?

structor: Işıl Dillig, CS311H: Discrete Mathematics Combinator

Instructor: Ișil Dillig,

CS311H: Discrete Mathematics Combinatorics 3

### Permutations with Indistinguishable Objects, cont.

- ightharpoonup Consider n objects such that:
  - lacksquare  $n_1$  of them indistingishable of type 1
  - $ightharpoonup n_2$  of them indistingishable of type 2

  - $lackbox{ } n_k$  of them indistinguishable of type k
- ▶ The number of permutations in this case is given by:

$$\frac{n!}{n_1!n_2!\dots n_k!}$$

Instructor: Isl Dill

311H: Discrete Mathematics Combinatorics 3

### Proof

- ▶ Let's decompose using product rule:
  - lacktriangle First, place all  $n_1$  objects of type 1
  - ▶ Then all  $n_2$  objects of type 2 etc.
- lackbox How many ways to place  $n_1$  indistinguishable objects in n slots?

•

Instructor: Isil Dilli

311H: Discrete Mathematics Combinatorics 3

14/06

#### Proof, cont.

- ▶ Now, how many ways to place n₂ objects of type 2?
- Continuing this way and using product rule, number of permutations is:

$$\left(\begin{array}{c} n \\ n_1 \end{array}\right) \cdot \left(\begin{array}{c} n-n_1 \\ n_2 \end{array}\right) \cdot \left(\begin{array}{c} n-n_1-n_2 \\ n_3 \end{array}\right) \cdot \cdot \cdot \left(\begin{array}{c} n-\sum\limits_{i=1}^{k-1} n_i \\ n_k \end{array}\right)$$

Instructor: Ișil Dillig

5311H: Discrete Mathematics Combinatorics 3

### Proof, cont.

$$\begin{pmatrix} n \\ n_1 \end{pmatrix} \cdot \begin{pmatrix} n-n_1 \\ n_2 \end{pmatrix} \cdots \begin{pmatrix} n-\sum\limits_{i=1}^{k-1} n_i \\ n_k \end{pmatrix}$$

Let's expand this definition:

$$\frac{n!}{n_1!\cdot (n-n_1)!}\cdot \frac{(n-n_1)!}{n_2!\cdot (n-n_1-n_2)!}\cdot \dots \cdot \frac{(n-n_1-n_2-\dots n_{k-1})!}{k!\cdot 0!} \cdot \frac{n!}{n_1!\cdot (n-n_1)!}\cdot \frac{n!}{n_2!\cdot (n-n_1)!}$$

- This simplifies to:
- $\frac{n!}{n_1!n_2!\dots n_k!}$
- ► Another way to see this: Compute total # of permutations (n!) and then divide by # of relative orderings between objects of type 1 (n₁!), # of relative orderings of objects of type 2 (n₂!) etc.

Instructor: Ișil Dillig

CS311H: Discrete Mathematics Combinatorics 3

16/26

#### Example 1

- How many different strings can be made by ordering the letters of the word SUCCESS?
- •
- •

Example 2

- ► There are 3 identical red balls, 5 identical blue balls, and 2 identical green balls.
- In how many different ways can these balls be arranged if the first ball must be blue?
- •
- •

Discrete Mathematics Combinatorics 3

r: Işıl Dillig, CS311H: Discrete Mathematics Combinate

18/26

### Distributing Objects into Boxes



- Many counting problems can be thought of as distributing objects into boxes
- ▶ In some cases both objects and boxes are distinguishable
- ► In some cases, boxes are distinguishable, but objects are indistinguishable

Instructor: Ișil Dillig

311H: Discrete Mathematics Combinatorics 3

Example: Distinguishable Objects in Distinguishable Boxes

- $\,\blacktriangleright\,$  How many ways are there to distribute 5 cards to each of 4 players from a deck of 52 cards?
- •
- •
- •
- •

Instructor: Isil Dillig.

S311H: Discrete Mathematics Combinatorics 3

20/26

## Example, cont.

- •
- $\blacktriangleright$

Instructor: Ișil Dillig,

CS311H: Discrete Mathematics Combinatorics 3

### Indistinguishable Objects Into Distinguishable Boxes

- $\blacktriangleright$  How many ways are there to place 10 indistinguishable balls into 8 distinguishable bins?
- •
- •
- •

Instructor: Ișil Dillig,

CS311H: Discrete Mathematics Combinatorics 3

22/26

### Distributing Objects into Boxes Summary

- ► Distinguishable objects into distinguishable boxes:
  - Involves permutations
- ► Indistinguishable objects into distinguishable boxes:
  - Involves combination

#### Another Example

- ► How many ways to distribute six distinguishable objects to five distinguishable boxes?
- •
- •
- •
- •

Instructor: Ișil Dillig,

CS311H: Discrete Mathematics Combinatorics 3

Instructor: Ișil Dillig

CS311H: Discrete Mathematics Combinatorics 3

24/26

## Example 2

- ► How many ways to distribute six indistinguishable objects to five distinguishable boxes?
- •
- •

nstructor: Iail Dillig, CS311H: Discrete Mathematics Combinatorics 3 25/26

## Example 3

- ▶ How many ways to assign 15 distinguishable objects into 5 distinguishable boxes so boxes contain 1,2,3,4,5 objects respectively?
- •
- •

COMPLEX AND A CONTRACTOR