Matrices in ACL2

Joe Hendrix

Talk Outline

- This talk introduces books for elematary matrix operations and theorems.
- The current focus is on simplicity and creating good rewriting theorems.
- Work in the immeadiate future is to prove the correctness of algorithms for inverting matrices, calculating determinates, and solving linear systems (i.e. solving for x in $Ax = B$) using Gaussian-Jordan elimination.

Data Representation

- Matrices are represented as lists of lists with `Nil` denoting the *empty matrix*.
- Although accessing a single element takes linear time instead of the constant time performance of an array-based implementation, the higher level operations should not perform asymptotically worse.
- Sample Matrix:

$$\begin{pmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{pmatrix} \text{ is represented as}$$

```
`((1 2 3)
  (4 5 6)
  (7 8 9))
```

Basic Operations

- The primary operations are implemented on top of a set of core constructors and destructors that build matrices one row or column at a time.
- The Lisp definitions are immeadiately disabled. It would be useful if the expand hint could be modified to use logical definitions.
- As there are essentially two ways of building matrices, by adding a new row via `row-cons` to the rows, or by adding a new column via `col-cons` to the columns, a number of theorems are proven relating the two constructors and the corresponding destructors `row-car`, `row-cdr`, `col-car`, `col-cdr`.

Defined Operations

- The operations of matrix addition, subtraction, negation, transposition, and multiplication by a scalar, by a vector, and by another matrix have been defined.
- Functions for generating the identity matrix and zero matrix have also been defined.
- These operations are all implemented using the primitives described in the last slide.
- Can use guard checking to verify that matrices are of correct size in an expression.

Theorems

- Proved the basic ring properties
  - Matrix addition is associative and commutative.
  - Matrix multiplication is associative and distributes over addition.
  - Special properties of zero and identity matrices (e.g. $M + 0 = M$, $M * 1 = M$, $1 * M = M$, $M * 0 = 0$, $0 * M = 0$).
- Transpose distributes over addition and multiplication.
- Coerce expressions involving matrices into a cannonical form.

Future Work

- Gaussian-Jordan Elimination.
  - Used for solving systems of linear equations ($Ax = B$), calculating determinates, and matrix inversion.
  - Required for any real application-level theorems.
- Research how to make definitions perform better - hopefully without making theorems more complicated outside the library itself.