CS378 Autonomous Multiagent Systems Spring 2005

Prof: Peter Stone TA: Mazda Ahmadi

Department or Computer Sciences The University of Texas at Austin

Week 2a: Tuesday, January 25th

Good Afternoon, Colleagues



Good Afternoon, Colleagues

Are there any questions?





• Reading responses



- Reading responses
- Programming assignment



- Reading responses
- Programming assignment
 C tutorial?



- Reading responses
- Programming assignment
 C tutorial?
- Next week's readings are up:
 - Brooks' reactive robots
 - A more deliberative architecture
 - RoboCup case study



- Reading responses
- Programming assignment
 C tutorial?
- Next week's readings are up:
 - Brooks' reactive robots
 - A more deliberative architecture
 - RoboCup case study
- Talks in the department:



- Reading responses
- Programming assignment
 C tutorial?
- Next week's readings are up:
 - Brooks' reactive robots
 - A more deliberative architecture
 - RoboCup case study
- Talks in the department:
 - Michael Wellman last Friday



- Reading responses
- Programming assignment
 C tutorial?
- Next week's readings are up:
 - Brooks' reactive robots
 - A more deliberative architecture
 - RoboCup case study
- Talks in the department:
 - Michael Wellman last Friday
 - Yoram Singer this Friday



Franklin and Graesser Definition

An autonomous agent is a system situated within and a part of an environment that senses that environment and acts on it, over time, in pursuit of its own agenda and so as to affect what it senses in the future.



Franklin and Graesser Definition

An autonomous agent is a system situated within and a part of an environment that senses that environment and acts on it, over time, in pursuit of its own agenda and so as to affect what it senses in the future.

1. "over time...so as to affect what it senses in the future"

2. "in pursuit of its own agenda"





... Andy Boothe on "Why a definition?"



- Are they agents or not?
- How does Wooldridge resolve this?



- They must **sense** their environment.
- They must **decide** what action to take ("think").
- They must **act** in their environment.



- They must **sense** their environment.
- They must **decide** what action to take ("think").
- They must **act** in their environment.

Complete Agents



- They must **sense** their environment.
- They must **decide** what action to take ("think").
- They must **act** in their environment.

Complete Agents

Multiagent systems: Interact with other agents



- They must **sense** their environment.
- They must **decide** what action to take ("think").
- They must **act** in their environment.

Complete Agents

Multiagent systems: Interact with other agents

Learning agents: Improve performance from experience



- They must **sense** their environment.
- They must **decide** what action to take ("think").
- They must **act** in their environment.

Complete Agents

Multiagent systems: Interact with other agents

Learning agents: Improve performance from experience

Autonomous Bidding, Cognitive Systems, Traffic management, **Robot Soccer**



Environment \implies sensations, actions



 ${\sf Environment} \Longrightarrow {\sf sensations}, {\sf actions}$

• fully observable vs. partially observable (accessible)



- fully observable vs. partially observable (accessible)
- deterministic vs. non-deterministic



- fully observable vs. partially observable (accessible)
- deterministic vs. non-deterministic
- episodic vs. non-episodic



- fully observable vs. partially observable (accessible)
- deterministic vs. non-deterministic
- episodic vs. non-episodic
- static vs. dynamic



- fully observable vs. partially observable (accessible)
- deterministic vs. non-deterministic
- episodic vs. non-episodic
- static vs. dynamic
- discrete vs. continuous



- fully observable vs. partially observable (accessible)
- deterministic vs. non-deterministic
- episodic vs. non-episodic
- static vs. dynamic
- discrete vs. continuous
- single-agent vs. multiagent

